

# Behavioral Risk Factor

# Surveillance System

## Codebook Report

for  
2002



---

**State FIPS Code****Section: 0.01 Record Identification****Type: ID Field****Column: 1-2****SAS Variable Name: \_STATE****Prologue:****Description: State FIPS Code**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1	Alabama	3,091	1.25	1.55
2	Alaska	2,694	1.09	0.20
4	Arizona	3,227	1.30	1.84
5	Arkansas	3,897	1.57	0.93
6	California	4,215	1.70	11.73
8	Colorado	4,052	1.63	1.54
9	Connecticut	5,563	2.24	1.20
10	Delaware	4,031	1.63	0.28
11	District of Columbia	2,408	0.97	0.21
12	Florida	6,150	2.48	5.94
13	Georgia	5,065	2.04	2.89
15	Hawaii	6,000	2.42	0.43
16	Idaho	5,037	2.03	0.44
17	Illinois	5,242	2.11	4.28
18	Indiana	5,789	2.33	2.10
19	Iowa	3,662	1.48	1.02
20	Kansas	4,602	1.86	0.92
21	Kentucky	7,067	2.85	1.42
22	Louisiana	5,030	2.03	1.51
23	Maine	2,438	0.98	0.46
24	Maryland	4,401	1.77	1.87
25	Massachusetts	7,429	3.00	2.26
26	Michigan	5,933	2.39	3.43
27	Minnesota	4,494	1.81	1.71
28	Mississippi	4,085	1.65	0.97
29	Missouri	4,730	1.91	1.95
30	Montana	4,036	1.63	0.31
31	Nebraska	4,383	1.77	0.59
32	Nevada	3,156	1.27	0.75
33	New Hampshire	5,039	2.03	0.44
34	New Jersey	6,179	2.49	2.97
35	New Mexico	4,671	1.88	0.61
36	New York	4,466	1.80	6.63
37	North Carolina	6,748	2.72	2.89
38	North Dakota	2,996	1.21	0.22
39	Ohio	4,092	1.65	3.93
40	Oklahoma	6,773	2.73	1.19
41	Oregon	3,075	1.24	1.22
42	Pennsylvania	13,491	5.44	4.33
44	Rhode Island	3,843	1.55	0.38

---

**State FIPS Code****Section: 0.01 Record Identification****Type: ID Field****Column: 1-2****SAS Variable Name: \_STATE****Prologue:****Description: State FIPS Code**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
45	South Carolina	4,503	1.82	1.42
46	South Dakota	4,788	1.93	0.26
47	Tennessee	3,207	1.29	2.02
48	Texas	6,107	2.46	7.17
49	Utah	4,080	1.65	0.72
50	Vermont	4,239	1.71	0.22
51	Virginia	4,392	1.77	2.53
53	Washington	4,887	1.97	2.08
54	West Virginia	3,350	1.35	0.65
55	Wisconsin	4,356	1.76	1.87
56	Wyoming	3,546	1.43	0.17
66	Guam	831	0.34	0.04
72	Puerto Rico	4,119	1.66	1.28
78	Virgin Islands	2,279	0.92	0.03

---

**Geographic Stratum Code****Section: 0.02 Record Identification****Type: ID Field****Column: 3-4****SAS Variable Name: \_GEOSTR****Prologue:****Description: Geographic Stratum Code**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Notes: For states with geographic stratification, strata should be numbered sequentially (with no gaps) starting with number 1. Otherwise geographic stratification = 1.	133,833	53.97	61.42
2		28,482	11.49	7.11
3		23,363	9.42	9.52
4		14,691	5.92	4.30
5		13,135	5.30	3.93
6		11,653	4.70	3.88
7		4,870	1.96	1.67
8		2,617	1.06	1.00
9		1,263	0.51	0.40
10		1,275	0.51	0.59
11		1,420	0.57	0.57
12		1,510	0.61	1.13
13		1,380	0.56	1.07
14		490	0.20	0.15
15		568	0.23	0.25
16		1,019	0.41	0.41
17		545	0.22	0.25
18		493	0.20	0.16
19		543	0.22	0.25
20		326	0.13	0.21
21		262	0.11	0.11
22		225	0.09	0.10
23		254	0.10	0.15
24		225	0.09	0.06
25		205	0.08	0.10
26		207	0.08	0.06
27		238	0.10	0.10
28		187	0.08	0.04
29		193	0.08	0.07
30		209	0.08	0.09
31		223	0.09	0.10
32		223	0.09	0.12
33		189	0.08	0.07
34		235	0.09	0.15
35		242	0.10	0.06
36		74	0.03	0.03
37		83	0.03	0.03
38		74	0.03	0.02
39		62	0.03	0.02

---

**Geographic Stratum Code****Section: 0.02 Record Identification****Type: ID Field****Column: 3-4****SAS Variable Name: \_GEOSTR****Prologue:****Description: Geographic Stratum Code**

Value	Value Label	Frequency	Percentage	Weighted Percentage
40		52	0.02	0.02
41		83	0.03	0.02
42		78	0.03	0.02
43		104	0.04	0.03
44		86	0.03	0.03
45		76	0.03	0.02
46		75	0.03	0.02
47		90	0.04	0.03
48		78	0.03	0.03
49		76	0.03	0.03
50		80	0.03	0.02

---

**Household Density Stratum Code****Section: 0.03 Record Identification****Type: ID Field****Column: 5****SAS Variable Name: \_DENSTR2****Prologue:****Description: Household Density Stratum Code**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Listed	190,471	76.81	62.66
2	Unlisted	56,521	22.79	35.59
3	Zero block	972	0.39	1.75

---

**Pre-Call Status Code****Section: 0.05 Record Identification****Type: ID Field****Column: 7****SAS Variable Name: PRECALL****Prologue:****Description: Pre-Call Status Code**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To be called	247,835	99.95	99.77
3	Pre-screened as non-working number	115	0.05	0.19
5	Pre-screened as business number	14	0.01	0.04

---

**Replicate Number****Section: 0.06 Record Identification****Type: ID Field****Column: 8-12****SAS Variable Name: REPNUM****Prologue:****Description: Replicate Number**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Replicate Depth****Section: 0.07 Record Identification****Type: ID Field****Column: 13-14****SAS Variable Name: REPDEPTH****Prologue:****Description: Replicate Depth**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**File Month****Section: 0.08 Record Identification****Type: ID Field****Column: 15-16****SAS Variable Name: FMONTH****Prologue:****Description: File Month**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Interview Date****Section: 0.09 Record Identification****Type: ID Field****Column: 17-24****SAS Variable Name: IDATE****Prologue:****Description:**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Interview Month****Section: 0.10 Record Identification****Type: ID Field****Column: 17-18****SAS Variable Name: IMONTH****Prologue:****Description: Interview Month**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1	January	17,685	7.13	7.10
2	February	21,253	8.57	8.53
3	March	20,898	8.43	8.00
4	April	21,876	8.82	8.56
5	May	21,352	8.61	8.56
6	June	20,588	8.30	8.47
7	July	21,033	8.48	8.36
8	August	21,729	8.76	9.55
9	September	19,547	7.88	7.98
10	October	22,291	8.99	9.03
11	November	20,497	8.27	8.14
12	December	19,215	7.75	7.70

---

**Interview Day****Section: 0.11 Record Identification****Type: ID Field****Column: 19-20****SAS Variable Name: IDAY****Prologue:****Description: Interview Day**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1		8,416	3.39	3.32
2		11,953	4.82	4.56
3		11,576	4.67	4.73
4		11,847	4.78	4.76
5		12,112	4.88	4.62
6		11,903	4.80	4.45
7		11,756	4.74	4.41
8		11,846	4.78	4.56
9		12,077	4.87	4.58
10		11,082	4.47	4.44
11		10,317	4.16	4.02
12		10,151	4.09	3.99
13		9,827	3.96	3.88
14		9,460	3.82	3.91
15		8,608	3.47	3.46
16		8,867	3.58	3.61
17		8,182	3.30	3.37
18		8,218	3.31	3.39
19		7,189	2.90	3.05
20		6,707	2.70	2.79
21		6,105	2.46	2.61
22		5,744	2.32	2.39
23		5,578	2.25	2.32
24		4,720	1.90	2.17
25		4,089	1.65	1.86
26		4,414	1.78	1.94
27		3,628	1.46	1.74
28		3,489	1.41	1.49
29		2,924	1.18	1.20
30		3,288	1.33	1.50
31		1,891	0.76	0.87

---

**Interview Year****Section: 0.12 Record Identification****Type: ID Field****Column: 21-24****SAS Variable Name: IYEAR****Prologue:****Description: Interview Year**

Value	Value Label	Frequency	Percentage	Weighted Percentage
2002		246,991	99.61	99.64
2003		973	0.39	0.36

---

**Interviewer Identification****Section: 0.13 Record Identification****Type: ID Field****Column: 25-27****SAS Variable Name: INTVID****Prologue:****Description: Interviewer Identification**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Final Disposition****Section: 0.18 Record Identification****Type: ID Field****Column: 36-38****SAS Variable Name: DISPCODE****Prologue:****Description: Final Disposition**

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Completed Interview	237,901	95.94	95.03
120	Partial Complete Interview	10,063	4.06	4.97

---

**Annual Sequence Number****Section: 0.19 Record Identification****Type: ID Field****Column: 39-48****SAS Variable Name: SEQNO****Prologue:****Description: Annual Sequence Number**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Value should be unique for a state for a year.	247,964	100.00	100.00

---

**Annual Sequence Number****Section: 0.19 Record Identification****Type: ID Field****Column: 39-48****SAS Variable Name: \_PSU****Prologue:****Description: Annual Sequence Number**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Number of Attempts****Section: 0.21 Record Identification****Type: ID Field****Column: 49-50****SAS Variable Name: NATTMPTS****Prologue:****Description: Number of Attempts**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Number of Sample Records Selected from Stratum****Section: 0.22 Record Identification****Type: ID Field****Column: 51-56****SAS Variable Name: NRECSEL****Prologue:****Description: Number of Sample Records Selected from Stratum**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Number of Telephone Numbers in Stratum from Which Sample Was Selected****Section: 0.23 Record Identification****Type: ID Field****Column: 57-65****SAS Variable Name: NRECSTR****Prologue:****Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Correct telephone number?****Section: 0.24 Record Identification****Column: 66****Prologue:****Description: Correct Telephone Number?****Type: ID Field****SAS Variable Name: CTELENUM**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	247,964	100.00	100.00

---

**Private Residence?****Section: 0.25 Record Identification****Column: 67****Prologue:****Description: Private Residence?****Type: ID Field****SAS Variable Name: PVTRESID**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	247,964	100.00	100.00

---

**Number of Adults in Household****Section: 0.26 Record Identification****Column: 68-69****Prologue:****Description: Number of Adults in Household****Type: ID Field****SAS Variable Name: NUMADULT**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	82,051	33.09	18.33
2		133,265	53.74	56.10
3		23,421	9.45	15.66
4		7,165	2.89	6.91
5		1,540	0.62	2.02
6 - 18		522	0.21	0.98

---

**Number of Adult men in Household****Section: 0.27 Record Identification****Type: ID Field****Column: 70****SAS Variable Name: NUMMEN****Prologue:****Description: Number of Adult Men in Household**

Value	Value Label	Frequency	Percentage	Weighted Percentage
0		62,239	25.10	15.07
1		163,201	65.82	66.56
2		18,831	7.59	13.82
3		3,008	1.21	3.33
4		537	0.22	0.86
5		105	0.04	0.22
6		27	0.01	0.04
7		8	0.00	0.05
8		5	0.00	0.05
9		3	0.00	0.00

---

**Number of Adult women in Household****Section: 0.28 Record Identification****Type: ID Field****Column: 71****SAS Variable Name: NUMWOMEN****Prologue:****Description: Number of Adult Women in Household**

Value	Value Label	Frequency	Percentage	Weighted Percentage
0		31,836	12.84	10.44
1		190,942	77.00	71.77
2		21,661	8.74	14.30
3		2,992	1.21	2.76
4		432	0.17	0.54
5		68	0.03	0.13
6		26	0.01	0.04
7		2	0.00	0.00
8		2	0.00	0.00
9		3	0.00	0.00

---

**General Health****Section: 1.01 Health Status****Type: Question****Column: 72****SAS Variable Name: GENHLTH****Prologue:****Description: Would you say that in general your health is:**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	52,659	21.24	21.72
2	Very good	80,065	32.29	32.47
3	Good	72,634	29.29	29.52
4	Fair	29,303	11.82	11.51
5	Poor	12,474	5.03	4.42
7	Do not know/Not Sure	517	0.21	0.18
9	Refused	312	0.13	0.18

---

**Have any health care coverage****Section: 2.01 Health Care Access****Type: Question****Column: 73****SAS Variable Name: HLTHPLAN****Prologue:****Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	215,974	87.10	84.47
2	No	31,329	12.63	15.19
7	Do not know/Not Sure	483	0.19	0.27
9	Refused	178	0.07	0.06

---

**Multiple Health Care Professionals****Section: 2.02 Health Care Access****Type: Question****Column: 74****SAS Variable Name: PERSDOC2****Prologue:****Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of?".)**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	183,424	73.97	70.46
2	More than one	22,928	9.25	8.58
3	No	41,069	16.56	20.70
7	Do not know/Not Sure	443	0.18	0.23
9	Refused	100	0.04	0.03

---

**Place You Go most Often When Sick or Need Advice****Section: 2.03 Health Care Access****Type: Question****Column: 75****SAS Variable Name: FACILIT3****Prologue:****Description: When you are sick or need advice about your health, to which one of the following places do you usually go?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A doctors office	189,994	77.43	73.95
2	A public health clinic or community health center	16,494	6.72	6.66
3	A hospital outpatient department	6,137	2.50	2.89
4	A hospital emergency room	8,851	3.61	4.52
5	Urgent care center	4,866	1.98	2.46
6	Some other kind of place	6,134	2.50	2.58
7	Do not know/Not sure	1,797	0.73	2.01
8	No usual place	10,961	4.47	4.87
9	Refused	142	0.06	0.06
BLANK	Missing	2,588		

---

**No Medical Care past 12 months****Section: 2.04 Health Care Access****Type: Question****Column: 76****SAS Variable Name: MEDCARE****Prologue:****Description: Was there a time in the past 12 months when you needed medical care, but could not get it?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes - Go to Section 2.05 MEDREAS	14,587	5.94	6.59
2	No - Go to Section 3.01 EXERANY2	229,705	93.61	93.00
7	Do not know/Not sure - Go to Section 3.01 EXERANY2	426	0.17	0.18
9	Refused - Go to Section 3.01 EXERANY2	658	0.27	0.22
BLANK	Missing	2,588		

---

**Main Reason did not get Medical Care****Section: 2.05 Health Care Access****Type: Question****Column: 77-78****SAS Variable Name: MEDREAS****Prologue:****Description: What is the main reason you did not get medical care? [Note: If more than one instance ask about the most recent.]**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cost [Include no insurance]	8,077	55.37	55.30
2	Distance	234	1.60	1.24
3	Office was not open when I could get there	810	5.55	4.99
4	Too long a wait for an appointment	1,677	11.50	11.69
5	Too long a wait in waiting room	428	2.93	3.11
6	No child care	24	0.16	0.20
7	No transportation	356	2.44	2.15
8	No access for people with disabilities	52	0.36	0.39
9	Medical provider did not speak my language	67	0.46	0.78
10	Other	2,703	18.53	18.99
77	Do not know/Not sure	131	0.90	0.95
99	Refused	29	0.20	0.21
BLANK	Not asked or Missing Notes: Section 2.04, MEDCARE, is coded 2, 7, 9, or Missing	233,376		

---

**Exercise in Past 30 Days****Section: 3.01 Exercise****Type: Question****Column: 79****SAS Variable Name: EXERANY2****Prologue:****Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	184,858	74.55	74.67
2	No	62,955	25.39	25.27
7	Do not know/Not Sure	112	0.05	0.05
9	Refused	39	0.02	0.01

---

## How Often Do You Drink Fruit Juices

Section: 4.01 Fruits and Vegetables

Type: Question

Column: 80-82

SAS Variable Name: FRUITJUI

**Prologue:** These next questions are about the foods you usually eat or drink. Please tell me how often you eat or drink each one, for example, twice a week, three times a month, and so forth. Remember, I am only interested in the foods you eat. Include all foods you eat, both at home and away from home.

**Description:** How often do you drink fruit juices such as orange, grapefruit, or tomato?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	95,100	38.76	38.22
201 - 299	Per week	88,776	36.18	37.80
301 - 399	Per month	30,977	12.62	12.59
401 - 499	Per year	4,357	1.78	1.77
555	Never	23,032	9.39	8.55
777	Do not know/Not sure	3,026	1.23	1.03
999	Refused	108	0.04	0.04
BLANK	Missing	2,588		

---

## How Often Do You Eat Fruit

Section: 4.02 Fruits and Vegetables

Type: Question

Column: 83-85

SAS Variable Name: FRUIT

**Prologue:**

**Description:** Not counting juice, how often do you eat fruit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	103,040	41.99	40.67
201 - 299	Per week	105,152	42.85	43.98
301 - 399	Per month	24,769	10.09	10.50
401 - 499	Per year	2,305	0.94	0.97
555	Never	6,593	2.69	2.61
777	Do not know/Not sure	3,412	1.39	1.23
999	Refused	105	0.04	0.04
BLANK	Missing	2,588		

---

## How Often Do You Eat Green Salad

Section: 4.03 Fruits and Vegetables

Type: Question

Column: 86-88

SAS Variable Name: GREENSAL

Prologue:

Description: How often do you eat green salad?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	50,750	20.68	19.80
201 - 299	Per week	152,076	61.98	62.16
301 - 399	Per month	26,755	10.90	11.63
401 - 499	Per year	1,977	0.81	0.87
555	Never	10,903	4.44	4.62
777	Do not know/Not sure	2,817	1.15	0.90
999	Refused	98	0.04	0.04
BLANK	Missing	2,588		

---

## How Often Do You Eat Potatoes

Section: 4.04 Fruits and Vegetables

Type: Question

Column: 89-91

SAS Variable Name: POTATOES

Prologue:

Description: How often do you eat potatoes not including french fries, fried potatoes, or potato chips?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	15,290	6.23	5.57
201 - 299	Per week	167,224	68.15	67.42
301 - 399	Per month	46,948	19.13	20.40
401 - 499	Per year	2,739	1.12	1.25
555	Never	10,171	4.15	4.36
777	Do not know/Not sure	2,914	1.19	0.97
999	Refused	90	0.04	0.03
BLANK	Missing	2,588		

---

## How Often Do You Eat Carrots

Section: 4.05 Fruits and Vegetables

Type: Question

Column: 92-94

SAS Variable Name: CARROTS

Prologue:

Description: How often do you eat carrots?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	19,199	7.82	7.24
201 - 299	Per week	123,977	50.53	49.33
301 - 399	Per month	64,375	26.24	27.43
401 - 499	Per year	6,372	2.60	2.90
555	Never	26,252	10.70	11.33
777	Do not know/Not sure	5,067	2.06	1.73
999	Refused	134	0.05	0.05
BLANK	Missing	2,588		

---

## Servings of Vegetables

Section: 4.06 Fruits and Vegetables

Type: Question

Column: 95-97

SAS Variable Name: VEGETABL

Prologue:

Description: Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat?  
[Example: A serving of vegetables at both lunch and dinner would be two servings.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Per day	162,818	66.35	63.16
201 - 299	Per week	67,257	27.41	29.74
301 - 399	Per month	7,187	2.93	3.64
401 - 499	Per year	447	0.18	0.23
555	Never	3,321	1.35	1.56
777	Do not know/Not sure	4,222	1.72	1.62
999	Refused	124	0.05	0.04
BLANK	Missing	2,588		

---

**Ever Told Had Asthma****Section: 5.01 Asthma****Type: Question****Column: 98****SAS Variable Name: ASTHMA2****Prologue:****Description: Have you ever been told by a doctor, nurse, or other health professional that you had asthma?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29,712	11.98	11.89
2	No - Go to Section 6.01 DIABETES	217,934	87.89	87.99
7	Do not know/Not Sure - Go to Section 6.01 DIABETES	288	0.12	0.10
9	Refused - Go to Section 6.01 DIABETES	30	0.01	0.01

---

**Still Have Asthma****Section: 5.02 Asthma****Type: Question****Column: 99****SAS Variable Name: ASTHNOW****Prologue:****Description: Do you still have asthma?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19,695	66.29	63.29
2	No	9,366	31.52	34.62
7	Do not know/Not Sure	649	2.18	2.08
9	Refused	2	0.01	0.01
BLANK	Not asked or Missing Notes: Section 5.01, ASTHMA2, is coded 2, 7, 9, or Missing	218,252		

---

**Ever Told by Doctor You Have Diabetes****Section: 6.01 Diabetes****Type: Question****Column: 100****SAS Variable Name: DIABETES****Prologue:****Description: Have you ever been told by a doctor that you have diabetes? (If "Yes" and female, ask "Was this only when you were pregnant?".)**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18,779	7.57	7.04
2	Yes, but female told only during pregnancy	2,587	1.04	1.06
3	No	226,284	91.26	91.78
7	Do not know/Not Sure	207	0.08	0.08
9	Refused	107	0.04	0.04

---

**Last Visited Dentist or Dental Clinic****Section: 7.01 Oral Health****Type: Question****Column: 101****SAS Variable Name: LASTDEN2****Prologue:****Description: How long has it been since you last visited a dentist or a dental clinic for any reason? [Include visits to dental specialists, such as orthodontists.]**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	170,734	69.58	69.11
2	Within the past 2 years (1 year but < 2 years ago)	27,054	11.03	11.71
3	Within the past 5 years (2 years but < 5 years ago)	19,287	7.86	8.44
4	5 or more years ago	25,153	10.25	9.33
7	Do not know/Not sure	1,698	0.69	0.54
8	Never	1,367	0.56	0.83
9	Refused	83	0.03	0.04
BLANK	Missing	2,588		

---

**Number of Permanent Teeth Removed****Section: 7.02 Oral Health****Type: Question****Column: 102****SAS Variable Name: RMVTEETH****Prologue:****Description: How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. [Include teeth lost due to "infection."]**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 5	72,481	29.54	29.43
2	6 or more, but not all	31,700	12.92	11.16
3	All - Go to Section 8.01 FLUSHOT	20,596	8.39	6.26
7	Do not know/Not sure	3,443	1.40	1.21
8	None	116,902	47.64	51.86
9	Refused	254	0.10	0.09
BLANK	Missing	2,588		

---

## When Teeth Last Cleaned by Dentist or Hygienist

Section: 7.03 Oral Health

Type: Question

Column: 103

SAS Variable Name: DENCLEAN

Prologue:

Description: How long has it been since you had your teeth cleaned by a dentist or dental hygienist?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	157,218	70.24	69.06
2	Within the past 2 years (1 year but < 2 years ago)	25,686	11.48	12.05
3	Within the past 5 years (2 years but < 5 years ago)	17,079	7.63	8.30
4	5 or more years ago	18,393	8.22	8.12
7	Do not know/Not sure	1,961	0.88	0.73
8	Never	3,364	1.50	1.68
9	Refused	129	0.06	0.06
BLANK	Not asked or Missing Notes: Section 7.01, LASTDEN2, is coded 8; or Section 7.02, RMVTEETH, is coded 3, or Missing	24,134		

---

## Had Flu Shot in Past 12 Months

Section: 8.01 Immunization

Type: Question

Column: 104

SAS Variable Name: FLUSHOT

Prologue:

Description: During the past 12 months, have you had a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85,123	34.33	30.21
2	No - Go to Section 8.03 PNEUVAC2	162,095	65.37	69.42
7	Do not know/Not Sure - Go to Section 8.03 PNEUVAC2	724	0.29	0.36
9	Refused - Go to Section 8.03 PNEUVAC2	22	0.01	0.01

---

**Where You Received Flu Shot****Section: 8.02 Immunization****Type: Question****Column: 105-106****SAS Variable Name: FLUPRO2****Prologue:****Description: At what kind of place did you get your last flu shot?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A doctors office or HMO	36,538	43.30	43.65
2	A health department	5,200	6.16	5.10
3	Another type of clinic or health center Notes: Example: a community health center	10,044	11.90	11.20
4	A senior, recreation, or community center	3,015	3.57	3.04
5	A store Notes: Examples: supermarket, drug store	4,539	5.38	6.06
6	A hospital or emergency room	4,000	4.74	5.21
7	Workplace	16,058	19.03	19.65
8	Some other kind of place	4,749	5.63	5.74
77	Do not know/Not sure	221	0.26	0.32
99	Refused	21	0.02	0.03
BLANK	Not asked or Missing Notes: Section 8.01, FLUSHOT, is coded 2, 7, 9, or Missing	163,579		

---

**Pneumonia Shots****Section: 8.03 Immunization****Type: Question****Column: 107****SAS Variable Name: PNEUVAC2****Prologue:****Description: Have you ever had a pneumonia shot? This shot is usually given only once or twice in a person's lifetime and is different from the flu shot. It is also called the pneumococcal vaccine.**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	55,129	22.23	20.26
2	No	178,956	72.17	72.90
7	Do not know/Not Sure	13,842	5.58	6.82
9	Refused	37	0.01	0.02

---

**Smoked at Least 100 Cigarettes****Section: 9.01 Tobacco Use****Type: Question****Column: 108****SAS Variable Name: SMOKE100****Prologue:****Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	118,552	47.81	46.67
2	No - Go to Section 10.01 ALCDAY3	128,756	51.93	53.08
7	Do not know/Not Sure - Go to Section 10.01 ALCDAY3	602	0.24	0.23
9	Refused - Go to Section 10.01 ALCDAY3	54	0.02	0.02

---

**Frequency of Days Now Smoking****Section: 9.02 Tobacco Use****Type: Question****Column: 109****SAS Variable Name: SMOKEDAY****Prologue:****Description: Do you now smoke cigarettes every day, some days, or not at all?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	42,993	36.27	37.31
2	Some days	11,335	9.56	10.90
3	Not at all - Go to Section 10.01 ALCDAY3	64,178	54.13	51.75
9	Refused - Go to Section 10.01 ALCDAY3	46	0.04	0.04
BLANK	Not asked or Missing Notes: Section 9.01, SMOKE100, is coded 2, 7, 9, or Missing	129,412		

---

**Stopped Smoking in past 12 months****Section: 9.03 Tobacco Use****Type: Question****Column: 110****SAS Variable Name: STOPSMK2****Prologue:****Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29,522	54.34	56.50
2	No	24,670	45.41	43.26
7	Do not know/Not Sure	119	0.22	0.21
9	Refused	17	0.03	0.02
BLANK	Not asked or Missing Notes: Section 9.02, SMOKEDAY, is coded 3, 9, or Missing	193,636		

---

**Frequency of Alcoholic Drinks in Past 30 Days****Section: 10.01 Alcohol Consumption****Type: Question****Column: 111-113****SAS Variable Name: ALCDAY3****Prologue: A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor.****Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1__ = Days per week	35,187	14.19	15.35
201 - 299	Days in past 30 Notes: 2__ = Days in past 30	93,684	37.78	39.05
777	Do not know/Not sure	1,048	0.42	0.50
888	No drinks in past 30 days - Go to Section 11.01 SEATBELT	117,689	47.46	45.00
999	Refused - Go to Section 11.01 SEATBELT	356	0.14	0.10

---

**Average Drinks per Session****Section: 10.02 Alcohol Consumption****Type: Question****Column: 114-115****SAS Variable Name: AVEDRNK****Prologue: [A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor.]****Description: On the days when you drank, about how many drinks did you drink on the average?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: __ Number of drinks	128,155	98.65	98.45
77	Do not know/Not sure	1,491	1.15	1.36
99	Refused	265	0.20	0.19
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY3, is coded 888, 999, or Missing	118,053		

---

**Binge Drinking****Section: 10.03 Alcohol Consumption****Type: Question****Column: 116-117****SAS Variable Name: DRNK2GE5****Prologue: [A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor.]****Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on an occasion?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	32,291	24.86	28.33
88	None	95,895	73.82	70.14
77	Do not know/Not Sure	1,486	1.14	1.35
99	Refused	239	0.18	0.18
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY3, is coded 888, 999, or Missing	118,053		

---

**Drank Alcohol and Driven car****Section: 10.04 Alcohol Consumption****Type: Question****Column: 118-119****SAS Variable Name: DRINKDRI****Prologue:****Description: During the past 30 days, how many times have you driven when you've had perhaps too much to drink?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times	4,989	3.88	4.17
88	None	122,775	95.59	95.20
77	Do not know/Not sure	359	0.28	0.40
99	Refused	314	0.24	0.23
BLANK	Not asked or Missing Notes: Section 10.01, ALCDAY3 is coded 888, 999, or Missing	119,527		

---

## How Often Use Seatbelts

Section: 11.01 Use of Seatbelts

Type: Question

Column: 120

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seatbelts when you drive or ride in a car?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	189,610	77.27	80.25
2	Nearly always	27,729	11.30	9.79
3	Sometimes	13,041	5.31	4.60
4	Seldom	6,379	2.60	2.19
5	Never	7,810	3.18	2.81
7	Do not know/Not sure	146	0.06	0.05
8	Never drive or ride in a car	572	0.23	0.28
9	Refused	89	0.04	0.03
BLANK	Missing	2,588		

---

## Reported Age in Years

Section: 12.01 Demographics

Type: Question

Column: 121-122

SAS Variable Name: AGE

Prologue:

Description: What is your age?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Do not know/Not sure	136	0.05	0.05
9	Refused	1,803	0.73	0.54
18 - 24	Age 18 - 24 Notes: __ Code age in years	18,879	7.61	13.24
25 - 34	Age 25 - 34	40,038	16.15	18.45
35 - 44	Age 35 - 44	50,479	20.36	20.68
45 - 54	Age 45 - 54	49,534	19.98	18.17
55 - 64	Age 55 - 64	36,013	14.52	12.39
65 - 99	Age 65 or older	51,082	20.60	16.47

---

**Hispanic/Latino****Section: 12.02 Demographics****Type: Question****Column: 123****SAS Variable Name: HISPANC2****Prologue:****Description: Are you Hispanic or Latino?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18,152	7.32	13.36
2	No	228,707	92.23	86.23
7	Do not know/Not Sure	659	0.27	0.22
9	Refused	446	0.18	0.19

---

**Multiple Race****Section: 12.03 Demographics****Type: Question****Column: 124-129****SAS Variable Name: MRACE****Prologue:****Description: Which one or more of the following would you say is your race? [Mark all that apply.]**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Refer to _MRACE, MRACEORG, MRACEASC	247,964	100.00	100.00

---

**Respondent Race Choice****Section: 12.04 Demographics****Type: Question****Column: 130****SAS Variable Name: ORACE2****Prologue:****Description: Which one of these groups would you say best represents your race?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	2,198	49.30	46.09
2	Black or African American	469	10.52	16.33
3	Asian	372	8.34	6.45
4	Native Hawaiian or Other Pacific Islander	475	10.66	4.56
5	American Indian, Alaska Native	384	8.61	10.50
6	Other Notes: Specify_____	242	5.43	5.94
7	Do not know/Not sure	207	4.64	6.43
8	Multiracial but preferred race not asked	12	0.27	0.85
9	Refused	99	2.22	2.86
BLANK	Not asked or Missing Notes: Only one race was selected in Section 12.03, MRACE	243,506		

---

**Marital Status****Section: 12.05 Demographics****Type: Question****Column: 131****SAS Variable Name: MARITAL****Prologue:****Description: Are you:**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	133,906	54.00	58.11
2	Divorced	34,172	13.78	9.73
3	Widowed	26,848	10.83	6.67
4	Separated	6,242	2.52	2.31
5	Never married	39,674	16.00	19.42
6	A member of an unmarried couple	6,335	2.55	3.47
9	Refused	783	0.32	0.28
BLANK	Missing	4		

---

**Number of Children in Household****Section: 12.06 Demographics****Type: Question****Column: 132-133****SAS Variable Name: CHILDREN****Prologue:****Description: How many children less than 18 years of age live in your household?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 7	Number of children Notes: _ _ = Number of children	90,888	36.65	41.23
88	None	156,682	63.19	58.62
99	Refused	387	0.16	0.15
BLANK	Missing	7		

---

**Education Level****Section: 12.07 Demographics****Type: Question****Column: 134****SAS Variable Name: EDUCA****Prologue:****Description: What is the highest grade or year of school you completed?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	451	0.18	0.20
2	Grades 1 - 8 (Elementary)	9,635	3.89	4.51
3	Grades 9 - 11 (Some high school)	17,761	7.16	7.91
4	Grade 12 or GED (High school graduate)	78,230	31.55	30.73
5	College 1 year to 3 years (Some college or technical school)	65,960	26.60	27.07
6	College 4 years or more (College graduate)	75,342	30.39	29.35
9	Refused	571	0.23	0.22
BLANK	Missing	14		

---

**Employment Status****Section: 12.08 Demographics****Type: Question****Column: 135****SAS Variable Name: EMPLOY****Prologue:****Description: Are you currently:**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	127,089	51.26	53.44
2	Self-employed	22,258	8.98	8.49
3	Out of work for more than 1 year	3,826	1.54	1.78
4	Out of work for less than 1 year	7,114	2.87	3.68
5	A homemaker	19,895	8.02	7.71
6	A student	7,032	2.84	4.56
7	Retired	48,250	19.46	15.66
8	Unable to work	11,863	4.78	4.41
9	Refused	614	0.25	0.28
BLANK	Missing	23		

---

**Income Level****Section: 12.09 Demographics****Type: Question****Column: 136-137****SAS Variable Name: INCOME2****Prologue:****Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	13,200	5.32	4.98
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	13,093	5.28	4.96
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	18,099	7.30	7.06
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	21,574	8.70	8.46
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	32,325	13.04	12.59
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	38,862	15.67	15.34
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	35,814	14.45	14.97
8	\$75,000 or more	39,626	15.98	18.34
77	Do not know/Not sure	15,580	6.28	6.47
99	Refused	19,758	7.97	6.83
BLANK	Missing	33		

---

**Reported Weight in Pounds****Section: 12.10 Demographics****Type: Question****Column: 138-140****SAS Variable Name: WEIGHT****Prologue:****Description: About how much do you weigh without shoes? [Round fractions up.]**

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 776	Weight (pounds)	238,157	96.06	96.57
777	Do not know/Not sure	3,727	1.50	1.49
999	Refused	6,045	2.44	1.94
BLANK	Missing	35		

---

**Reported Height in Feet and Inches****Section: 12.11 Demographics****Type: Question****Column: 141-143****SAS Variable Name: HEIGHT****Prologue:****Description: About how tall are you without shoes? [Round fractions down.]**

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches)	244,927	98.79	98.28
777	Do not know/Not sure	2,216	0.89	1.40
999	Refused	783	0.32	0.33
BLANK	Missing	38		

---

**County Code****Section: 12.12 Demographics****Type: Question****Column: 144-146****SAS Variable Name: CTYCODE****Prologue:****Description: What county do you live in?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Do not know/Not sure	2,046	0.83	1.00
999	Refused	5,215	2.10	0.87
UNUSED	Suppressed	240,703	97.07	98.13

---

**Household Telephones****Section: 12.13 Demographics****Type: Question****Column: 147****SAS Variable Name: NUMHHOL2****Prologue:****Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26,384	10.64	9.05
2	No - Go to Section 12.15 SEX	220,864	89.07	90.60
7	Do not know/Not sure - Go to Section 12.15 SEX	56	0.02	0.03
9	Refused - Go to Section 12.15 SEX	660	0.27	0.32

---

**Residential Phones****Section: 12.14 Demographics****Type: Question****Column: 148****SAS Variable Name: NUMPHON2****Prologue:****Description: How many of these are residential numbers?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	6,604	25.03	35.90
2	Residential telephone numbers	17,873	67.73	58.51
3	Residential telephone numbers	1,403	5.32	3.80
4	Residential telephone numbers	182	0.69	0.40
5	Residential telephone numbers	43	0.16	0.07
6	Residential telephone numbers Notes: 6 = 6 or more	23	0.09	0.03
7	Do not know/Not Sure	156	0.59	0.82
9	Refused	104	0.39	0.47
BLANK	Not asked or Missing Notes: Section 12.13, NUMHHOL2, is coded 2, 7, 9, or Missing	221,576		

---

**Respondents Sex****Section: 12.15 Demographics****Type: Question****Column: 149****SAS Variable Name: SEX****Prologue:****Description: Indicate sex of respondent.**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male - Go to Section 13.01 BRTHCNT2	99,262	40.03	48.19
2	Female	148,702	59.97	51.81

---

**Pregnancy Status****Section: 12.16 Demographics****Type: Question****Column: 150****SAS Variable Name: PREGNANT****Prologue:****Description: To your knowledge, are you now pregnant?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,704	4.13	4.59
2	No	62,459	95.31	94.66
7	Do not know/Not Sure	175	0.27	0.34
9	Refused	193	0.29	0.41
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 1; or Section 12.01, AGE is greater than 44	182,433		

---

**Methods of Birth Control being used****Section: 13.01 Family Planning****Type: Question****Column: 151****SAS Variable Name: BRTHCNT2****Prologue: The next few questions ask about pregnancy and ways to prevent pregnancy.****Description: Are you or your [if female, insert husband/partner; if male, insert wife/partner] doing anything now to keep [if female, insert "you"; insert "her" if male] from getting pregnant? Some things people do to keep from getting pregnant include not having sex at certain times, using birth control methods such as the pill, Norplant, shots or Depo-provera, condoms, diaphragm, foam, IUD, having their tubes tied, or having a vasectomy.(If multiple partners, consider usual method.)**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1	Yes	74,535	54.97	56.87
2	No - Go to Section 13.04 NOBCUSE	34,685	25.58	25.15
3	No partner/not sexually active - Go to Section 14.01 HADMAM	20,361	15.02	13.93
4	Same sex partner - Go to Section 14.01 HADMAM	710	0.52	0.54
7	Do not know/Not sure - Go to Section 14.01 HADMAM	443	0.33	0.32
9	Refused - Go to Section 14.01 HADMAM	4,851	3.58	3.19
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 2 and Section 12.01, AGE, is > 44; or Section 12.15, SEX, is coded 1 and Section 12.01, AGE, is > 59; or Section 12.16, PREGNANT, is coded 1	112,379		

---

**Type of Birth Control****Section: 13.02 Family Planning****Type: Question****Column: 152-153****SAS Variable Name: TYPCTR2****Prologue:****Description: What are you or your [if female, insert husband/partner; if male, insert wife/partner] doing now to keep [if female, insert "you"; insert "her" if male] from getting pregnant? [Interviewer: Record respondent's condition if both have had sterilization procedures.]**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1	Tubes tied (sterilization) - Go to Section 14.01 HADMAM	15,817	21.22	19.69
2	Vasectomy (sterilization) - Go to Section 14.01 HADMAM	12,288	16.48	14.25
3	Pill	20,752	27.84	28.13
4	Condoms	12,625	16.93	19.82
5	Foam, jelly, cream	276	0.37	0.34
6	Diaphragm	495	0.66	0.59
7	Norplant	203	0.27	0.33
8	IUD	1,147	1.54	1.65
9	Shots (Depo-Provera)	2,649	3.55	3.72
10	Withdrawal	375	0.50	0.58
11	Not having sex at certain times (rhythm)	1,844	2.47	2.90
12	No partner/not sexually active - Go to Section 14.01 HADMAM	1,175	1.58	1.65
13	Other Method(s)	2,228	2.99	3.11
77	Do not know/Not sure - Go to Section 14.01 HADMAM	406	0.54	0.58
99	Refused - Go to Section 14.01 HADMAM	2,272	3.05	2.64
BLANK	Not asked or Missing Notes: Section 13.01, BRTHCNT2, is coded 2, 3, 4, 7, 9, or Missing	173,412		

---

**Other Birth Control Methods****Section: 13.03 Family Planning****Type: Question****Column: 154-155****SAS Variable Name: OTHERBC****Prologue:****Description: What other method are you also using to prevent pregnancy?**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1	Tubes tied (sterilization) - Go to Section 14.01 HADMAM	205	0.48	0.66
2	Vasectomy (sterilization) - Go to Section 14.01 HADMAM	158	0.37	0.32
3	Pill - Go to Section 14.01 HADMAM	1,985	4.63	5.26
4	Condoms - Go to Section 14.01 HADMAM	4,834	11.28	12.50
5	Foam, jelly, cream - Go to Section 14.01 HADMAM	317	0.74	0.64
6	Diaphragm - Go to Section 14.01 HADMAM	127	0.30	0.33
7	Norplant - Go to Section 14.01 HADMAM	83	0.19	0.19
8	IUD - Go to Section 14.01 HADMAM	81	0.19	0.18
9	Shots (Depo-Provera) - Go to Section 14.01 HADMAM	242	0.56	0.55
10	Withdrawal - Go to Section 14.01 HADMAM	240	0.56	0.65
11	Not having sex at certain times (rhythm) - Go to Section 14.01 HADMAM	1,033	2.41	2.87
12	No partner/not sexually active - Go to Section 14.01 HADMAM	316	0.74	0.68
13	Other Method(s) - Go to Section 14.01 HADMAM	1,132	2.64	2.66
87	No Other Method(s) - Go to Section 14.01 HADMAM	31,463	73.41	70.93
77	Do not know/Not sure - Go to Section 14.01 HADMAM	430	1.00	1.08
99	Refused - Go to Section 14.01 HADMAM	215	0.50	0.49
BLANK	Not asked or Missing Notes: Section 13.02, TYPCNTR2, is coded 1, 2, 12, 77, 99, or Missing	205,103		

---

**Main Reason not using Birth Control****Section: 13.04 Family Planning****Type: Question****Column: 156-157****SAS Variable Name: NOBCUSE****Prologue:****Description: [FEMALES] What is your main reason for not doing anything to keep you from getting pregnant?  
[MALES] What is your main reason for not doing anything to keep your partner from getting pregnant?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not sexually active/no partner	3,696	10.67	10.52
2	Did not think was going to have sex/no regular partner	180	0.52	0.56
3	You want a pregnancy	4,493	12.97	14.12
4	You or your partner do not want to use birth control	544	1.57	1.71
5	You or your partner do not like birth control/fear side effects	298	0.86	0.99
6	You can not pay for birth control	78	0.23	0.27
7	Lapse in use of a method	80	0.23	0.25
8	Do not think you or your partner can get pregnant	2,210	6.38	6.61
9	You or your partner had tubes tied (sterilization)	3,255	9.39	8.24
10	You or your partner had a vasectomy (sterilization)	1,956	5.65	4.39
11	You or your partner had a hysterectomy	4,450	12.84	11.20
12	You or your partner are too old	2,771	8.00	7.36
13	You or your partner are currently breast-feeding	74	0.21	0.18
14	You or your partner just had a baby/postpartum	294	0.85	0.87
15	Other reason	4,146	11.97	13.24
16	Do not care if get pregnant	1,630	4.70	5.29
17	Same sex partner	260	0.75	0.91
18	Partner is pregnant now	947	2.73	3.38
77	Do not know/Not sure	1,851	5.34	5.88
99	Refused	1,437	4.15	4.03
BLANK	Not asked or Missing Notes: Section 13.01, BRTHCNT2, is coded 1, 3, 4, 7, 9, or Missing	213,314		

---

## Have You Ever Had a Mammogram

Section: 14.01 Women's Health

Type: Question

Column: 158

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	99,530	67.88	63.07
2	No - Go to Section 14.03 PROFEXAM	46,333	31.60	36.17
7	Do not know/Not sure - Go to Section 14.03 PROFEXAM	154	0.11	0.09
9	Refused - Go to Section 14.03 PROFEXAM	607	0.41	0.67
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 1	101,340		

---

## How Long since Last Mammogram

Section: 14.02 Women's Health

Type: Question

Column: 159

SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (<12 months ago)	65,250	65.53	65.92
2	Within the past 2 years (1 year but < 2 years ago)	16,698	16.77	16.87
3	Within the past 3 years (2 years but < 3 years ago)	6,096	6.12	6.05
4	Within the past 5 years (3 years but < 5 years ago)	4,346	4.36	4.49
5	5 or more years ago	6,412	6.44	6.06
7	Do not know/Not sure	690	0.69	0.55
9	Refused	81	0.08	0.06
BLANK	Not asked or Missing Notes: Section 14.01, HADMAM, is coded 2, 7, 9, or Missing	148,391		

---

**Ever Had Breast Physical Exam by Doctor****Section: 14.03 Women's Health****Type: Question****Column: 160****SAS Variable Name: PROFEXAM****Prologue:****Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	132,487	90.39	88.35
2	No - Go to Section 14.05 HADPAP	12,881	8.79	10.65
7	Do not know/Not sure - Go to Section 14.05 HADPAP	490	0.33	0.28
9	Refused - Go to Section 14.05 HADPAP	714	0.49	0.72
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 1	101,392		

---

**How Long since Last Breast Physical Exam****Section: 14.04 Women's Health****Type: Question****Column: 161****SAS Variable Name: LENGEXAM****Prologue:****Description: How long has it been since your last breast exam?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	98,206	74.13	74.83
2	Within the past 2 years (1 year but < 2 years ago)	17,494	13.21	13.38
3	Within the past 3 years (2 years but < 3 years ago)	5,603	4.23	4.20
4	Within the past 5 years (3 years but < 5 years ago)	3,869	2.92	2.94
5	5 or more years ago	6,008	4.54	3.86
7	Do not know/Not sure	1,221	0.92	0.74
9	Refused	72	0.05	0.05
BLANK	Not asked or Missing Notes: Section 14.03, PROFEXAM, is coded 2, 7, 9, or Missing	115,491		

---

**Ever Had a Pap Smear Test****Section: 14.05 Women's Health****Type: Question****Column: 162****SAS Variable Name: HADPAP****Prologue:****Description: A Pap smear is a test for cancer of the cervix. Have you ever had a Pap smear?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	139,015	94.88	93.36
2	No - Go to Section 14.07 HADHYST2	6,378	4.35	5.65
7	Do not know/Not sure - Go to Section 14.07 HADHYST2	306	0.21	0.18
9	Refused - Go to Section 14.07 HADHYST2	813	0.55	0.80
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 1	101,452		

---

**When Was Last Pap Smear****Section: 14.06 Women's Health****Type: Question****Column: 163****SAS Variable Name: LASTPAP****Prologue:****Description: How long has it been since you had your last Pap smear?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	91,874	66.09	68.27
2	Within the past 2 years (1 year but < 2 years ago)	19,700	14.17	14.15
3	Within the past 3 years (2 years but < 3 years ago)	7,186	5.17	5.02
4	Within the past 5 years (3 years but < 5 years ago)	5,260	3.78	3.47
5	5 or more years ago	13,274	9.55	8.14
7	Do not know/Not sure	1,584	1.14	0.86
9	Refused	128	0.09	0.08
BLANK	Not asked or Missing Notes: Section 14.5, HADPAP, is coded 2, 7, 9, or Missing	108,958		

---

## Had Hysterectomy

Section: 14.07 Women's Health

Type: Question

Column: 164

SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? [A hysterectomy is an operation to remove the uterus (womb).]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33,966	23.93	20.92
2	No	105,892	74.60	77.84
7	Do not know/Not sure	170	0.12	0.22
9	Refused	1,927	1.36	1.03
BLANK	Not asked or Missing Notes: Section 12.15, SEX, is coded 1; or Section 12.16, PREGNANT, is coded 1; or Section 13.04, NOBCUSE, is coded 11	106,009		

---

## Ever Had PSA Test

Section: 15.01 Prostate Cancer Screening

Type: Question

Column: 165

SAS Variable Name: PSATEST

Prologue:

Description: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38,487	59.45	57.91
2	No - Go to Section 15.03 DIGRECEX	22,905	35.38	36.99
7	Do not know/Not Sure - Go to Section 15.03 DIGRECEX	2,865	4.43	4.16
9	Refused - Go to Section 15.03 DIGRECEX	481	0.74	0.94
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40 or Section 12.15, SEX, is coded 2	183,226		

---

**Time Since Last PSA Test****Section: 15.02 Prostate Cancer Screening****Type: Question****Column: 166****SAS Variable Name: PSATIME****Prologue:****Description: How long has it been since you had your last PSA test?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	26,854	69.78	70.43
2	Within the past 2 years (1 year but < 2 years ago)	6,213	16.14	16.46
3	Within the past 3 years (2 years but < 3 years ago)	2,207	5.73	5.38
4	Within the past 5 years (3 years but < 5 years ago)	1,434	3.73	3.63
5	5 or more years ago	1,332	3.46	3.00
7	Do not know/Not Sure	424	1.10	1.07
9	Refused	21	0.05	0.04
BLANK	Not asked or Missing Notes: Section 15.01, PSATEST, is coded, 2, 7, 9, or Missing	209,479		

---

**Ever Had Digital Rectal Exam****Section: 15.03 Prostate Cancer Screening****Type: Question****Column: 167****SAS Variable Name: DIGRECEX****Prologue:****Description: A digital rectal exam is an exam in which a doctor, nurse or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you ever had a digital rectal exam?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48,616	75.13	73.98
2	No - Go to Section 15.05 PROSTATE	14,856	22.96	24.16
7	Do not know/Not Sure - Go to Section 15.05 PROSTATE	643	0.99	0.81
9	Refused - Go to Section 15.05 PROSTATE	592	0.91	1.06
BLANK	Not asked or Missing Notes: If Section 12.01, AGE, is less than 40 or Section 12.15, SEX, is coded 2	183,257		

---

**Time Since Last Digital Rectal Exam****Section: 15.04 Prostate Cancer Screening****Type: Question****Column: 168****SAS Variable Name: DRETIME****Prologue:****Description: How long has it been since your last digital rectal exam?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months)	27,657	56.89	57.15
2	Within the past 2 years (1 year but < 2 years ago)	8,581	17.65	17.56
3	Within the past 3 years (2 years but < 3 years ago)	3,720	7.65	7.95
4	Within the past 5 years (3 years but < 5 years ago)	2,962	6.09	6.49
5	5 or more years ago	5,200	10.70	9.87
7	Do not know/Not sure	465	0.96	0.89
9	Refused	26	0.05	0.10
BLANK	Not asked or Missing Notes: Section 15.3, DIGRECEX, is coded 2, 7, 9, or Missing	199,353		

---

**Ever Told You Had Prostate Cancer****Section: 15.05 Prostate Cancer Screening****Type: Question****Column: 169****SAS Variable Name: PROSTATE****Prologue:****Description: Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,529	3.91	3.69
2	No	61,550	95.18	95.25
7	Do not know/Not sure	99	0.15	0.10
9	Refused	491	0.76	0.96
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 40 or Section 12.15, SEX, is coded 2	183,295		

---

**Ever Had Blood Stool Test Using Home Kit****Section: 16.01 Colorectal Cancer Screening****Type: Question****Column: 170****SAS Variable Name: BLDSTOOL****Prologue:****Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50,062	44.54	44.04
2	No - Go to Section 16.03 HADSIGM2	60,840	54.13	54.38
7	Do not know/Not Sure - Go to Section 16.03 HADSIGM2	795	0.71	0.77
9	Refused - Go to Section 16.03 HADSIGM2	697	0.62	0.81
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	135,570		

---

**Time Since Last Blood Stool Test****Section: 16.02 Colorectal Cancer Screening****Type: Question****Column: 171****SAS Variable Name: LSTBLDS2****Prologue:****Description: How long has it been since you had your last blood stool test using a home kit?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	23,614	47.17	47.30
2	Within the past 2 years (1 year but < 2 years ago)	9,435	18.85	19.36
3	Within the past 5 years (2 years but < 5 years ago)	8,574	17.13	17.34
4	5 or more years ago	7,298	14.58	14.00
7	Do not know/Not sure	1,098	2.19	1.94
9	Refused	39	0.08	0.06
BLANK	Not asked or Missing Notes: Section 16.01, BLDSTOOL, is coded 2, 7, 9, or Missing	197,906		

---

**Ever Had Sigmoidoscopy/Colonoscopy****Section: 16.03 Colorectal Cancer Screening****Type: Question****Column: 172****SAS Variable Name: HADSIGM2****Prologue:****Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the bowel for signs of cancer or other health problems. Have you ever had either of these exams?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52,837	47.04	47.79
2	No - Go to Section 17.01 HIVTF1A	57,502	51.19	50.34
7	Do not know/Not Sure - Go to Section 17.01 HIVTF1A	1,146	1.02	0.96
9	Refused - Go to Section 17.01 HIVTF1A	836	0.74	0.91
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is less than 50	135,643		

---

**Time Since Last Sigmoidoscopy/Colonoscopy****Section: 16.04 Colorectal Cancer Screening****Type: Question****Column: 173****SAS Variable Name: LASTSIG2****Prologue:****Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	17,119	32.40	33.48
2	Within the past 2 years (1 year but < 2 years ago)	11,120	21.05	21.30
3	Within the past 5 years (2 years but < 5 years ago)	14,257	26.99	27.01
4	Within the past 10 years (5 years but < 10 years ago)	4,982	9.43	9.14
5	10 or more years ago	4,637	8.78	8.00
7	Do not know/Not Sure	696	1.32	1.02
9	Refused	22	0.04	0.04
BLANK	Not asked or Missing Notes: Section 16.3, HADSIGM2, is coded 2, 7, 9, or Missing	195,131		

---

## Pregnancy and AIDS Knowledge

Section: 17.01 HIV/AIDS

Type: Question

Column: 174

SAS Variable Name: HIVTF1A

**Prologue:** The next few questions are about the national health problem of HIV, the virus that causes AIDS. Please remember that your answers are strictly confidential and that you don't have to answer every question if you don't want to. I'm going to read two statements about HIV, the virus that causes AIDS. After I read each one, please tell me whether you think it is true or false, or if you don't know.

**Description:** A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	True	103,589	53.09	53.69
2	False	32,284	16.55	17.83
7	Do not know/Not Sure	57,159	29.29	27.15
9	Refused	2,090	1.07	1.33
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	52,842		

---

## Medical Treatment and HIV Infection

Section: 17.02 HIV/AIDS

Type: Question

Column: 175

SAS Variable Name: HIVTF1B

**Prologue:** [I'm going to read two statements about HIV, the virus that causes AIDS. After I read each one, please tell me whether you think it is true or false, or if you don't know.]

**Description:** There are medical treatments available that are intended to help a person who is infected with HIV to live longer.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	True	172,256	88.29	87.75
2	False	5,055	2.59	3.16
7	Do not know/Not Sure	15,699	8.05	7.74
9	Refused	2,087	1.07	1.34
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	52,867		

---

**Importance of HIV Test Status****Section: 17.03 HIV/AIDS****Type: Question****Column: 176****SAS Variable Name: HIVOPT1B****Prologue:****Description: How important do you think it is for people to know their HIV status by getting tested?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very important	173,852	89.13	89.36
2	Somewhat important	9,918	5.08	5.62
3	Not at all important	921	0.47	0.50
7	Do not know/Not sure	1,831	0.94	0.80
8	Depends on Risk	6,376	3.27	2.33
9	Refused	2,160	1.11	1.39
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	52,906		

---

**Ever Tested for HIV - Excluding Blood Donations****Section: 17.04 HIV/AIDS****Type: Question****Column: 177****SAS Variable Name: HIVTST3****Prologue:****Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. [Include saliva tests.]**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	81,427	41.75	43.39
2	No - Go to Section 17.08 HIVRISK2	105,978	54.34	52.86
7	Do not know/Not Sure - Go to Section 17.08 HIVRISK2	5,230	2.68	2.27
9	Refused - Go to Section 17.08 HIVRISK2	2,402	1.23	1.47
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	52,927		

---

**Month and Year of Last HIV Test****Section: 17.05 HIV/AIDS****Type: Question****Column: 178-183****SAS Variable Name: HIVTSTD2****Prologue:****Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "Don't know".)[Include saliva tests.]**

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 772002	Code month and year Notes: __/___ __ __ month and year	67,076	82.38	84.55
777777	Do not know/Not sure	14,065	17.28	15.16
999999	Refused	277	0.34	0.29
BLANK	Not asked or Missing Notes: Section 17.04, HIVTST3, is coded 2, 7, 9, or Missing	166,546		

---

**Main Reason Blood Tested for HIV****Section: 17.06 HIV/AIDS****Type: Question****Column: 184-185****SAS Variable Name: RSNTST4****Prologue:****Description: I am going to read you a list of reasons why some people have been tested for HIV. Not including blood donations, which of these would you say was the main reason for your last HIV test?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	It was required	15,632	19.22	18.56
2	Someone suggested you should be tested	2,017	2.48	2.62
3	You thought you may have gotten HIV through sex or drug use	1,938	2.38	2.42
4	You just wanted to find out whether you had HIV	16,166	19.87	19.83
5	You were worried that you could give HIV to someone	546	0.67	0.77
6	You were pregnant Notes: (IF FEMALE)	11,955	14.70	13.53
7	It was done as part fo a routine medical check-up	20,668	25.41	27.39
8	Some other reason	11,464	14.09	13.75
77	Do not know/Not sure	547	0.67	0.68
99	Refused	418	0.51	0.44
BLANK	Not asked or Missing Notes: Section 17.04, HIVTST3, is coded 2, 7, 9, or Missing	166,613		

---

**Where Last Tested for HIV****Section: 17.07 HIV/AIDS****Type: Question****Column: 186-187****SAS Variable Name: WHRTST5****Prologue:****Description: Where did you have your last HIV test: at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at home, or somewhere else?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	35,556	43.74	43.35
2	Counseling and testing site	2,944	3.62	3.76
3	Hospital	15,281	18.80	17.95
4	Clinic	16,586	20.40	21.36
5	In a jail or prison (or other correctional facility)	534	0.66	0.83
6	Home	3,495	4.30	4.12
7	Somewhere else	5,991	7.37	7.67
77	Do not know/Not sure	606	0.75	0.67
99	Refused	304	0.37	0.30
BLANK	Not asked or Missing Notes: Section 17.04, HIVTST3, is coded 2, 7, 9, or Missing	166,667		

---

**Do Any High Risk Situations Apply****Section: 17.08 HIV/AIDS****Type: Question****Column: 188****SAS Variable Name: HIVRISK2****Prologue:****Description: I'm going to read you a list. When I'm done, please tell me if any of the situations apply to you. You don't need to tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in the past year. You had anal sex without a condom in the past year. Do any of these situations apply to you?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,676	2.95	3.68
2	No	182,860	94.91	91.48
7	Do not know/Not sure	230	0.12	0.11
9	Refused	3,894	2.02	4.73
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64.	55,304		

---

**Talk to Professional About STDs and Condom Use****Section: 17.09 HIV/AIDS****Type: Question****Column: 189****SAS Variable Name: PCSAIDS2****Prologue: The next question is about sexually transmitted diseases other than HIV such as syphilis, gonorrhea, chlamydia, or genital herpes.****Description: In the past 12 months has a doctor, nurse or other health professional talked to you about preventing sexually transmitted diseases through condom use?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21,133	10.86	13.66
2	No	170,105	87.38	84.36
7	Do not know/Not sure	407	0.21	0.21
9	Refused	3,017	1.55	1.77
BLANK	Not asked or Missing Notes: Section 12.01, AGE, is greater than 64	53,302		

---

**Firearms Kept In or Around Home****Section: 18.01 Firearms****Type: Question****Column: 190****SAS Variable Name: FIREARM4****Prologue: The next three questions are about firearms. We are asking these in a health survey because of our interest in firearm-related injuries. Please include weapons such as pistols, shotguns, and rifles; but not BB guns, starter pistols, or guns that cannot fire. Include those kept in a garage, outdoor storage area, or motor vehicle.****Description: Are any firearms kept in or around your home?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85,033	35.33	33.08
2	No - Go to . closing statement	146,258	60.76	63.09
7	Do not know/Not Sure - Go to . closing statement	958	0.40	0.45
9	Refused - Go to . closing statement	8,460	3.51	3.37
BLANK	Missing	7,255		

---

**Loaded Firearms in Home****Section: 18.02 Firearms****Type: Question****Column: 191****SAS Variable Name: GUNLOAD****Prologue: [Please include weapons such as pistols, shotguns, and rifles; but not BB guns, starter pistols, or guns that cannot fire. Include those kept in a garage, outdoor storage area, or motor vehicle.]****Description: Are any of these firearms now loaded?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17,669	20.91	22.25
2	No - Go to . closing statement	65,292	77.28	75.96
7	Do not know/Not sure - Go to . closing statement	1,366	1.62	1.62
9	Refused - Go to . closing statement	161	0.19	0.17
BLANK	Not asked or Missing Notes: Section 18.01, FIREARM4, is coded 2, 7, 9, or Missing	163,476		

---

**Unlocked Firearms in Home****Section: 18.03 Firearms****Type: Question****Column: 192****SAS Variable Name: LOADULK2****Prologue: [Please include weapons such as pistols, shotguns, and rifles; but not BB guns, starter pistols, or guns that cannot fire. Include those kept in a garage, outdoor storage area, or motor vehicle.]****Description: Are any of these loaded firearms also unlocked? By “unlocked” we mean you do not need a key or combination to get the gun or to fire it. We don’t count a safety as a lock.**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,928	61.86	59.64
2	No	6,570	37.19	39.34
7	Do not know/Not sure	102	0.58	0.69
9	Refused	66	0.37	0.33
BLANK	Not asked or Missing Notes: Section 18.02, GUNLOAD, is coded 2, 7, 9 or Missing	230,298		

---

**Age When Told Diabetic****Module: 1.01 Diabetes****Type: Question****Column: 193-194****SAS Variable Name: DIABAGE2****Prologue:****Description: How old were you when you were told you have diabetes?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years Notes: _ _ Code age in years, 97 = 97 or older	14,920	95.17	95.97
98	Do not know/Not sure	618	3.94	3.20
99	Refused	139	0.89	0.83
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	232,287		

---

**Now Taking Insulin****Module: 1.02 Diabetes****Type: Question****Column: 195****SAS Variable Name: INSULIN****Prologue:****Description: Are you now taking insulin?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,159	26.48	25.70
2	No	11,456	72.94	73.57
9	Refused	92	0.59	0.73
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	232,257		

---

**Now Taking Diabetes Pills****Module: 1.03 Diabetes****Type: Question****Column: 196****SAS Variable Name: DIABPILL****Prologue:****Description: Are you now taking diabetes pills?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,405	66.36	66.18
2	No	5,167	32.95	33.06
7	Do not know/Not sure	16	0.10	0.04
9	Refused	91	0.58	0.72
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	232,285		

---

## How Often Check Blood for Glucose

Module: 1.04 Diabetes

Type: Question

Column: 197-199

SAS Variable Name: BLDSUGAR

Prologue:

**Description:** About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do not include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 __ Times per day	8,582	54.71	54.60
201 - 299	Times per week Notes: 2 __ Times per week	3,378	21.54	21.71
301 - 399	Times per month Notes: 3 __ Times per month	1,117	7.12	7.00
401 - 499	Times per year Notes: 4 __ Times per year	573	3.65	3.35
777	Do not know/Not sure	224	1.43	1.39
888	Never	1,715	10.93	11.24
999	Refused	96	0.61	0.71
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	232,279		

---

## How Often Check Feet for Sores or Irritations

Module: 1.05 Diabetes

Type: Question

Column: 200-202

SAS Variable Name: FEETCHK2

Prologue:

**Description:** About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do not include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 __ Times per day	10,612	67.70	64.91
201 - 299	Times per week Notes: 2 __ Times per week	2,254	14.38	15.46
301 - 399	Times per month Notes: 3 __ Times per month	547	3.49	3.67
401 - 499	Times per year Notes: 4 __ Times per year	221	1.41	1.28
555	No feet	98	0.63	0.43
777	Do not know/Not sure	332	2.12	2.10
888	Never	1,507	9.61	11.41
999	Refused	105	0.67	0.74
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	232,288		

---

**Ever Had Feet Sores or Irritations Lasting More Than Four Weeks****Module: 1.06 Diabetes****Type: Question****Column: 203****SAS Variable Name: FEETSORE****Prologue:****Description: Have you ever had any sores or irritations on your feet that took more than four weeks to heal?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,694	10.81	11.44
2	No	13,828	88.21	87.54
7	Do not know/Not sure	58	0.37	0.25
9	Refused	96	0.61	0.76
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	232,288		

---

**Times Seen Health Professional for Diabetes****Module: 1.07 Diabetes****Type: Question****Column: 204-205****SAS Variable Name: DOCTDIAB****Prologue:****Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: __ Number of times, 76=76 or more	13,932	88.87	87.68
88	None	1,167	7.44	8.83
77	Do not know/Not sure	484	3.09	2.80
99	Refused	93	0.59	0.70
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	232,288		

---

**Times Checked for Glycosylated Hemoglobin****Module: 1.08 Diabetes****Type: Question****Column: 206-207****SAS Variable Name: CHKHEMO2****Prologue:****Description: A test for hemoglobin "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for hemoglobin "A one C"?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: __ Number of times, 76 = 76 or more	11,908	75.96	73.62
88	None	1,213	7.74	10.34
98	Never heard of hemoglobin "A one C" test	678	4.33	3.86
77	Do not know/Not sure	1,768	11.28	11.33
99	Refused	109	0.70	0.86
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	232,288		

---

**Times Feet Check for Sores/irritations****Module: 1.09 Diabetes****Type: Question****Column: 208-209****SAS Variable Name: FEETCHK****Prologue:****Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: __ Number of times, 76=76 or more	10,393	66.72	65.63
88	None	4,582	29.41	30.61
77	Do not know/Not sure	486	3.12	2.88
99	Refused	117	0.75	0.88
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used; or Module 1.05, FEETCHK2, is coded 555	232,386		

---

**Last Eye Exam Where Pupils Were Dilated****Module: 1.10 Diabetes****Type: Question****Column: 210****SAS Variable Name: EYEEXAM****Prologue:****Description: When was the last time you had eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (< 1 month ago)	3,922	25.02	23.89
2	Within the past year (1 month but < 12 months ago)	7,023	44.80	44.07
3	Within the past 2 years (1 year but < 2 years ago)	1,846	11.78	11.74
4	2 or more years ago	1,763	11.25	12.81
7	Do not know/Not sure	321	2.05	1.50
8	Never	679	4.33	4.98
9	Refused	122	0.78	1.01
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	232,288		

---

**Ever Told Diabetes Has Affected Eyes****Module: 1.11 Diabetes****Type: Question****Column: 211****SAS Variable Name: DIABEYE****Prologue:****Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,670	23.41	24.60
2	No	11,719	74.76	73.50
7	Do not know/Not sure	167	1.07	0.91
9	Refused	120	0.77	0.99
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	232,288		

---

**Ever Taken Class in Managing Diabetes****Module: 1.12 Diabetes****Type: Question****Column: 212****SAS Variable Name: DIABEDU****Prologue:****Description: Have you ever taken a course or class in how to manage your diabetes yourself?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,939	50.64	52.97
2	No	7,575	48.32	45.84
7	Do not know/Not sure	37	0.24	0.17
9	Refused	125	0.80	1.02
BLANK	Not asked, Module not used, or Missing Notes: Section 6.01, DIABETES, is coded 2, 3, 7, 9, Missing, or Module not used	232,288		

---

**Ever Told Blood Pressure High****Module: 2.01 Hypertension Awareness****Type: Question****Column: 213****SAS Variable Name: BPHIGH3****Prologue:****Description: Have you ever been told by a doctor, nurse or other health professional that you have high blood pressure? (If "Yes" and female, ask "Was this only when you were pregnant?".)**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,078	27.90	25.50
2	Yes, but female told only during pregnancy - Go to Module 3.01 BLOODCHO	2,568	5.93	10.28
3	No - Go to Module 3.01 BLOODCHO	28,275	65.31	62.98
7	Do not know/Not Sure - Go to Module 3.01 BLOODCHO	63	0.15	0.17
9	Refused - Go to Module 3.01 BLOODCHO	311	0.72	1.07
BLANK	Module not used or Missing	204,669		

---

**Currently Taking Blood Pressure Medication****Module: 2.02 Hypertension Awareness****Type: Question****Column: 214****SAS Variable Name: BPMEDS****Prologue:****Description: Are you currently taking medicine for your high blood pressure?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,213	76.25	73.39
2	No	2,849	23.58	26.43
7	Do not know/Not Sure	17	0.14	0.14
9	Refused	4	0.03	0.04
BLANK	Not asked, Module not used, or Missing Notes: Module 2.01, BPHIGH3, is coded 2, 3, 7, 9, or Missing	235,881		

---

**Ever Had Blood Cholesterol Checked**

Module: 3.01 Cholesterol Awareness

Type: Question

Column: 215

SAS Variable Name: BLOODCHO

Prologue:

**Description:** Blood cholesterol is a fatty substance found in the blood. Have you ever had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40,217	78.23	75.25
2	No - Go to Module 4.01 JOBACTIV	9,613	18.70	21.23
7	Do not know/Not Sure - Go to Module 4.01 JOBACTIV	1,082	2.10	2.24
9	Refused - Go to Module 4.01 JOBACTIV	496	0.96	1.28
BLANK	Module not used or Missing	196,556		

---

**How Long since Cholesterol Checked**

Module: 3.02 Cholesterol Awareness

Type: Question

Column: 216

SAS Variable Name: CHOLCHK

Prologue:

**Description:** About how long has it been since you last had your blood cholesterol checked?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	27,397	68.14	68.98
2	Within the past 2 years (1 year but < 2 years ago)	5,859	14.57	14.37
3	Within the past 5 years (2 years but < 5 years ago)	3,964	9.86	9.35
4	5 or more years ago	2,412	6.00	5.82
7	Do not know/Not Sure	565	1.41	1.45
9	Refused	12	0.03	0.03
BLANK	Not asked, Module not used, or Missing Notes: Module 3.01, BLOODCHO, is coded 2, 7, 9, or Missing	207,755		

---

**Ever Told Blood Cholesterol High****Module: 3.03 Cholesterol Awareness****Type: Question****Column: 217****SAS Variable Name: TOLDHI2****Prologue:****Description: Have you ever been told by a doctor, nurse or other health professional that your blood cholesterol is high?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13,529	33.65	32.66
2	No	26,399	65.66	66.58
7	Do not know/Not Sure	244	0.61	0.68
9	Refused	33	0.08	0.08
BLANK	Not asked, Module not used, or Missing Notes: Module 3.01, BLOODCHO, is coded 2, 7, 9, or Missing	207,759		

---

**Physical Activity at Work****Module: 4.01 Physical Activity****Type: Question****Column: 218****SAS Variable Name: JOBACTIV****Prologue:****Description: When you are at work, which of the following best describes what you do? (If respondent has multiple jobs, include all jobs.)**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mostly sitting or standing	29,587	61.71	60.72
2	Mostly walking	10,171	21.21	21.75
3	Mostly heavy labor or physically demanding work	7,038	14.68	15.04
7	Do not know/Not Sure	637	1.33	1.30
9	Refused	513	1.07	1.19
BLANK	Not asked, Module not used, or Missing Notes: Section 12.08, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing	200,018		

---

**Moderate Physical Activity****Module: 4.02 Physical Activity****Type: Question****Column: 219****SAS Variable Name: MODPACT**

**Prologue:** We are interested in two types of physical activity: vigorous and moderate. Vigorous activities cause large increases in breathing or heart rate while moderate activities cause small increases in breathing or heart rate.

**Description:** Now, thinking about the moderate physical activities you do [fill in (when you are not working) if "employed" or "self-employed" to core Q12.8] in a usual week, do you do moderate activities for at least 10 minutes at a time, such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes small increases in breathing or heart rate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	64,286	82.57	82.25
2	No - Go to Module 4.05 VIGPACT	12,498	16.05	16.21
7	Do not know/Not Sure - Go to Module 4.05 VIGPACT	224	0.29	0.29
9	Refused - Go to Module 4.05 VIGPACT	850	1.09	1.26
BLANK	Module not used or Missing	170,106		

---

**Moderate Physical Activity Days****Module: 4.03 Physical Activity****Type: Question****Column: 220-221****SAS Variable Name: MODPADAY****Prologue:**

**Description:** How many days per week do you do these moderate activities for at least 10 minutes at a time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 07	Days per week Notes: _ _ = Days per week	63,567	98.90	98.96
88	Do less than 10 mins of moderate activity at a time - Go to Module 4.05 VIGPACT	177	0.28	0.27
77	Do not know/Not sure	491	0.76	0.70
99	Refused	37	0.06	0.07
BLANK	Not asked, Module not used, or Missing Notes: Module 4.02, MODPACT, is coded 2, 7, 9, or Missing	183,692		

---

## Moderate Physical Activity Time

Module: 4.04 Physical Activity

Type: Question

Column: 222-224

SAS Variable Name: MODPATIM

Prologue:

Description: On days when you do moderate activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
10 - 759	Hours and minutes per day Notes: _:_ = Hours and minutes per day	60,919	95.08	95.18
777	Do not know/Not sure	3,042	4.75	4.61
999	Refused	107	0.17	0.21
BLANK	Not asked, Module not used, or Missing Notes: Module 4.02, MODPACT, is coded 2, 7, 9, Missing, or Module not used; or Module 4.03, MODPADAY, is coded 88	183,896		

---

## Vigorous Physical Activity

Module: 4.05 Physical Activity

Type: Question

Column: 225

SAS Variable Name: VIGPACT

Prologue: [We are interested in two types of physical activity: vigorous and moderate. Vigorous activities cause large increases in breathing or heart rate while moderate activities cause small increases in breathing or heart rate.]

Description: Now thinking about the vigorous physical activities you do [fill in (when you are not working) if "employed" or "self-employed" to core Q12.8] in a week, do you do vigorous activities for at least 10 minutes at a time, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33,197	42.69	45.58
2	No - Go to Module 5.01 PHYSHLTH	43,312	55.69	52.62
7	Do not know/Not sure - Go to Module 5.01 PHYSHLTH	308	0.40	0.39
9	Refused - Go to Module 5.01 PHYSHLTH	950	1.22	1.42
BLANK	Module not used or Missing	170,197		

---

## Vigorous Physical Activity Days

Module: 4.06 Physical Activity

Type: Question

Column: 226-227

SAS Variable Name: VIGPADAY

Prologue:

Description: How many days per week do you do these vigorous activities for at least 10 minutes at a time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 07	Days per week Notes: _ _ = Days per week	32,715	98.59	98.57
88	Do less than 10 mins of vigorous activity at a time - Go to Module 5.01 PHYSHLTH	130	0.39	0.43
77	Do not know/Not sure - Go to Module 5.01 PHYSHLTH	307	0.93	0.84
99	Refused - Go to Module 5.01 PHYSHLTH	31	0.09	0.16
BLANK	Not asked, Module not used, or Missing Notes: Module 4.05, VIGPACT, is coded 2, 7, 9, or Missing	214,781		

---

## Vigorous Physical Activity Time

Module: 4.07 Physical Activity

Type: Question

Column: 228-230

SAS Variable Name: VIGPATIM

Prologue:

Description: On days when you do vigorous activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

Value	Value Label	Frequency	Percentage	Weighted Percentage
10 - 759	Hours and minutes per day Notes: _:_ _ Hours and minutes per day	32,005	96.96	97.11
777	Do not know/Not sure	942	2.85	2.57
999	Refused	60	0.18	0.32
BLANK	Not asked, Module not used, or Missing Notes: Module 4.06, VIGPADAY, is coded 77, 88, 99, or Missing	214,957		

---

## Number of Days Physical Health Not Good

Module: 5.01 Healthy Days

Type: Question

Column: 231-232

SAS Variable Name: PHYSHLTH

Prologue: Earlier, I asked you to rate your general health as excellent, very good, good, fair, or poor.

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	33,281	33.02	33.82
88	None	64,689	64.19	64.18
77	Do not know/Not sure	1,933	1.92	1.49
99	Refused	876	0.87	0.51
BLANK	Module not used or Missing	147,185		

---

**Number of Days Mental Health Not Good****Module: 5.02 Healthy Days****Type: Question****Column: 233-234****SAS Variable Name: MENTHLTH****Prologue:****Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	30,675	30.45	32.72
88	None - If Module 5.01, PHYSHLTH, is also None, go to Module 6.01 QLACTLM2	67,381	66.90	65.35
77	Do not know/Not sure	1,642	1.63	1.30
99	Refused	1,027	1.02	0.63
BLANK	Module not used, or Missing	147,239		

---

**Poor Physical Health****Module: 5.03 Healthy Days****Type: Question****Column: 235-236****SAS Variable Name: POORHLTH****Prologue:****Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	18,727	36.50	36.53
88	None	30,749	59.94	60.97
77	Do not know/Not sure	885	1.73	1.41
99	Refused	939	1.83	1.09
BLANK	Module not used or Missing Notes: Module 5.01, PHYSHLTH, is 88 and Module 5.2, MENTHLTH, is 88	196,664		

---

**Activity Limitation Due to Health Problems****Module: 6.01 Quality of Life****Type: Question****Column: 237****SAS Variable Name: QLACTLM2****Prologue:****Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1	Yes	15,277	17.19	15.91
2	No	71,855	80.83	81.89
7	Do not know/Not Sure	225	0.25	0.20
9	Refused	1,536	1.73	1.99
BLANK	Module not used or Missing	159,071		

---

**Health Problems Requiring Special Equipment****Module: 6.02 Quality of Life****Type: Question****Column: 238****SAS Variable Name: USEEQUIP****Prologue:****Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? [Include occasional use or use in certain circumstances.]**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1	Yes	5,745	6.46	5.17
2	No	81,596	91.80	92.83
7	Do not know/Not Sure	32	0.04	0.02
9	Refused	1,515	1.70	1.98
BLANK	Module not used or Missing	159,076		

---

**Health Problems****Module: 6.03 Quality of Life****Type: Question****Column: 239-240****SAS Variable Name: HLTHPRB2****Prologue:****Description: What is your major impairment or health problem?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Arthritis/rheumatism	2,517	15.08	15.11
2	Back or neck problem	2,644	15.84	17.08
3	Fractures, bone/joint injury	1,312	7.86	10.40
4	Walking problem	1,462	8.76	7.56
5	Lung/breathing problem	1,031	6.18	5.53
6	Hearing problem	146	0.87	0.89
7	Eye/vision problem	390	2.34	2.08
8	Heart problem	1,337	8.01	6.22
9	Stroke problem	311	1.86	1.34
10	Hypertension/high blood pressure	279	1.67	1.17
11	Diabetes	507	3.04	2.48
12	Cancer	313	1.87	1.57
13	Depression/anxiety/emotional problem	801	4.80	4.97
14	Other impairment/problem	3,002	17.98	20.42
77	Do not know/Not sure	193	1.16	0.79
99	Refused	449	2.69	2.38
BLANK	Not asked, Module not used, or Missing Notes: Module 6.01, QLACTLM2, is coded 2, 7, 9, or Missing; or Module 6.02, USEEQUIP, is coded 2, 7, 9, or Missing	231,270		

---

**Activities Limited for How Long****Module: 6.04 Quality of Life****Type: Question****Column: 241-243****SAS Variable Name: LONGLMT2****Prologue:****Description: For how long have your activities been limited because of your major impairment or health problem?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days Notes: 1 _ _ Days	276	1.65	1.81
201 - 299	Weeks Notes: 2 _ _ Weeks	277	1.66	1.95
301 - 399	Months Notes: 3 _ _ Months	1,738	10.41	12.09
401 - 499	Years Notes: 4 _ _ Years	13,167	78.88	78.10
777	Do not know/Not sure	805	4.82	3.86
999	Refused	429	2.57	2.19
BLANK	Not asked, Module not used, or Missing Notes: Module 6.01, QLACTLM2, is coded 2, 7, 9, or Missing; or Module 6.02, USEEQUIP, is coded 2, 7, 9, or Missing	231,272		

---

## Help with Personal Care

Module: 6.05 Quality of Life

Type: Question

Column: 244

SAS Variable Name: QLPERSN2

Prologue:

Description: **Because of any impairment or health problem, do you need the help of other persons with your personal care needs, such as eating, bathing, dressing, or getting around the house?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,992	11.94	11.47
2	No	14,313	85.78	86.57
7	Do not know/Not sure	19	0.11	0.08
9	Refused	362	2.17	1.88
BLANK	Not asked, Module not used, or Missing Notes: Module 6.01, QLACTLM2, is coded 2, 7, 9, or Missing; or Module 6.02, USEEQUIP, is coded 2, 7, 9, or Missing	231,278		

---

## Help with Routine Needs

Module: 6.06 Quality of Life

Type: Question

Column: 245

SAS Variable Name: QLROUTN2

Prologue:

Description: **Because of any impairment or health problem, do you need the help of other persons in handling your routine needs, such as everyday household chores, doing necessary business, shopping, or getting around for other purposes?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,675	34.00	30.70
2	No	10,604	63.53	67.13
7	Do not know/Not sure	40	0.24	0.21
9	Refused	373	2.23	1.96
BLANK	Not asked, Module not used, or Missing Notes: Module 6.01, QLACTLM2, is coded 2, 7, 9, or Missing; or Module 6.02, USEEQUIP, is coded 2, 7, 9, or Missing	231,272		

---

### Pain During Last 30 Days

Module: 6.07 Quality of Life

Type: Question

Column: 246-247

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	21,826	24.57	24.16
88	None	64,278	72.35	72.98
77	Do not know/Not sure	1,356	1.53	1.03
99	Refused	1,385	1.56	1.83
BLANK	Module not used or Missing	159,119		

---

### Depression During Last 30 Days

Module: 6.08 Quality of Life

Type: Question

Column: 248-249

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	33,053	37.21	39.52
88	None	52,295	58.88	57.16
77	Do not know/Not sure	1,876	2.11	1.28
99	Refused	1,595	1.80	2.04
BLANK	Module not used or Missing	159,145		

---

### Anxiety During Last 30 Days

Module: 6.09 Quality of Life

Type: Question

Column: 250-251

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	45,332	51.05	54.79
88	None	39,639	44.64	41.61
77	Do not know/Not sure	2,188	2.46	1.52
99	Refused	1,641	1.85	2.08
BLANK	Module not used or Missing	159,164		

---

**Rest During Last 30 Days****Module: 6.10 Quality of Life****Type: Question****Column: 252-253****SAS Variable Name: QLREST2****Prologue:****Description: During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1 - 30	Number of days Notes: __ Number of days	56,019	63.10	66.59
88	None	29,793	33.56	30.41
77	Do not know/Not sure	1,377	1.55	0.94
99	Refused	1,587	1.79	2.05
BLANK	Module not used or Missing	159,188		

---

**Health and Energy During Last 30 Days****Module: 6.11 Quality of Life****Type: Question****Column: 254-255****SAS Variable Name: QLHLTH2****Prologue:****Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1 - 30	Number of days Notes: __ Number of days	73,335	82.63	85.35
88	None	10,637	11.99	10.24
77	Do not know/Not sure	3,082	3.47	2.27
99	Refused	1,697	1.91	2.14
BLANK	Module not used or Missing	159,213		

---

## How Long Since Last Routine Checkup

Module: 7.01 Health Care Coverage and Utilization

Type: Question

Column: 256

SAS Variable Name: CHECKUP

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness or condition.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	25,933	70.11	71.03
2	Within the past 2 years (1 year but < 2 years ago)	4,549	12.30	12.35
3	Within the past 5 years (2 years but < 5 years ago)	2,579	6.97	6.69
4	5 or more years ago	2,587	6.99	5.96
7	Do not know/Not sure	496	1.34	1.48
8	Never	496	1.34	1.11
9	Refused	347	0.94	1.37
BLANK	Module not used or Missing	210,977		

---

## Reason for Lack of Health Coverage

Module: 7.02 Health Care Coverage and Utilization

Type: Question

Column: 257-258

SAS Variable Name: RSNOCOV2

Prologue: Previously you said that you did not have any kind of health care coverage.

Description: What is the main reason you are without health care coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Lost job or changed employers	630	12.39	17.24
2	Spouse or parent lost job or changed employers Notes: Includes any person who had been providing insurance prior to job loss or change	73	1.44	1.62
3	Became divorced or separated	43	0.85	0.68
4	Spouse or parent died	8	0.16	0.08
5	Became ineligible due to age or because left school	66	1.30	2.27
6	Employer does not or stopped offering coverage	412	8.10	8.49
7	Cut back to part time or temporary employee	48	0.94	1.09
8	Benefits from employer or former employer ran out	66	1.30	1.04
9	Could not afford to pay the premiums	2,263	44.51	39.61
10	Insurance company refused coverage	60	1.18	0.82
11	Lost Medicaid or Medical Assistance eligibility	64	1.26	0.85
87	Other	1,015	19.96	18.53
77	Do not know/Not sure	198	3.89	5.16
99	Refused	138	2.71	2.51
BLANK	Not asked, Module not used, or Missing Notes: Section 2.01, HLTHPLAN, is coded 1, 7, 9, or Missing	242,880		

---

**Length of Gap in Health Care Coverage****Module: 7.03 Health Care Coverage and Utilization****Type: Question****Column: 259****SAS Variable Name: PSTPLAN2****Prologue:****Description: About how long has it been since you had health care coverage?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 6 months (< 6 months ago)	755	14.86	18.63
2	Within the past year (6 months but < 12 months ago)	485	9.55	11.53
3	Within the past 2 years (1 year but < 2 years ago)	594	11.69	12.45
4	Within the past 5 years (2 years but < 5 years ago)	790	15.55	16.26
5	5 or more years ago	1,393	27.42	24.37
7	Do not know/Not sure	207	4.07	3.63
8	Never	705	13.88	10.53
9	Refused	151	2.97	2.61
BLANK	Not asked, Module not used, or Missing Notes: Section 2.01, HLTHPLAN, is coded 1, 7, 9, or Missing	242,884		

---

**Age at Asthma Diagnosis****Module: 8.01 Adult Asthma History****Type: Question****Column: 260-261****SAS Variable Name: ASTHMAGE****Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.****Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
11 - 96	Age 11 or older Notes: 96=96 and older	6,743	62.71	59.72
97	Age 10 or younger	3,294	30.64	34.94
98	Do not know/Not sure	474	4.41	3.91
99	Refused	241	2.24	1.42
BLANK	Not asked, Module not used, or Missing Notes: Section 5.01, ASTHMA2, is coded 2, 7, 9, or Missing	237,212		

---

## Asthma During Past 12 Months

Module: 8.02 Adult Asthma History

Type: Question

Column: 262

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,523	49.91	50.98
2	No	3,351	47.47	47.20
7	Do not know/Not sure	33	0.47	0.35
9	Refused	152	2.15	1.47
BLANK	Not asked, Module not used, or Missing Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing	240,905		

---

## Emergency Asthma Care During Past 12 Months

Module: 8.03 Adult Asthma History

Type: Question

Column: 263-264

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits Notes: 87=87 or more	1,182	16.75	18.29
88	None	5,722	81.07	80.32
98	Do not know/Not sure	22	0.31	0.17
99	Refused	132	1.87	1.22
BLANK	Not asked, Module not used, or Missing Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing	240,906		

---

## Urgent Asthma Treatment During Past 12 Months

Module: 8.04 Adult Asthma History

Type: Question

Column: 265-266

SAS Variable Name: ASDRVIST

Prologue:

Description: [If one or more visits to module Q8.3, fill in (Besides those emergency room visits,)] During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits Notes: 87=87 or more	1,942	27.52	28.04
88	None	4,889	69.29	69.72
98	Do not know/Not sure	89	1.26	0.97
99	Refused	136	1.93	1.26
BLANK	Not asked, Module not used, or Missing Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing	240,908		

---

## Routine Asthma Care During Past 12 Months

Module: 8.05 Adult Asthma History

Type: Question

Column: 267-268

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of visits	3,711	52.59	52.55
88	None	3,090	43.79	44.77
98	Do not know/Not sure	107	1.52	1.30
99	Refused	148	2.10	1.38
BLANK	Not asked, Module not used, or Missing Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing	240,908		

---

## Activities Limited Due to Asthma During Past 12 Months

Module: 8.06 Adult Asthma History

Type: Question

Column: 269-271

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number of days	2,132	30.22	30.60
777	Do not know/Not sure	217	3.08	2.35
888	None	4,579	64.91	66.03
999	Refused	126	1.79	1.02
BLANK	Not asked, Module not used, or Missing Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing	240,910		

---

## Asthma Symptoms During Past 30 Days

Module: 8.07 Adult Asthma History

Type: Question

Column: 272

SAS Variable Name: ASYMPATOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once a week	1,488	21.10	21.85
2	Once or twice a week	1,371	19.44	20.72
3	More than 2 times a week, but not every day	759	10.76	9.89
4	Every day, but not all the time	930	13.19	14.53
5	Every day, all the time	429	6.08	5.73
7	Do not know/Not sure	115	1.63	1.20
8	Not at any time - Go to Module 8.09 ASTHMEDS	1,775	25.17	24.33
9	Refused	186	2.64	1.76
BLANK	Not asked, Module not used, or Missing Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9 or Missing	240,911		

---

## Sleep Difficulty Due to Asthma During Past 30 Days

Module: 8.08 Adult Asthma History

Type: Question

Column: 273

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One or two	992	18.80	20.00
2	Three to four	463	8.78	10.70
3	Five	191	3.62	5.22
4	Six to ten	272	5.16	6.74
5	More than ten	430	8.15	6.48
7	Do not know/Not sure	132	2.50	1.62
8	None	2,616	49.58	47.05
9	Refused	180	3.41	2.19
BLANK	Not asked, Module not used, or Missing Notes: Module 8.07, ASYMPOM, is coded 8, or Missing	242,688		

---

## Asthma Medication During PAST 30 Days

Module: 8.09 Adult Asthma History

Type: Question

Column: 274

SAS Variable Name: ASTHMEDS

Prologue:

Description: During the past 30 days how often did you take asthma medication that was prescribed or given to you by a doctor? This includes using an inhaler.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once a week	692	9.81	10.43
2	Once or twice a week	710	10.07	11.69
3	More than 2 times a week, but not every day	465	6.59	6.94
4	Once every day	1,304	18.49	15.65
5	2 or more times every day	1,628	23.09	22.63
7	Do not know/Not sure	68	0.96	1.02
8	Did not take any	2,000	28.36	29.82
9	Refused	184	2.61	1.82
BLANK	Not asked, Module not used, or Missing Notes: Section 5.02, ASTHNOW, is coded 2, 7, 9, or Missing	240,913		

---

**Household Children with Asthma****Module: 9.01 Childhood Asthma****Type: Question****Column: 275-276****SAS Variable Name: CASTHDX****Prologue:****Description: Earlier you said there were [fill in number from core Q12.6] children age 17 or younger living in your household. How many of these children have ever been diagnosed with asthma?**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1 - 76	Number of Children	7,629	17.08	17.27
88	None - Go to Module 10.01 HASYMP1	35,983	80.56	80.16
77	Do not know/Not sure - Go to Module 10.01 HASYMP1	194	0.43	0.92
99	Refused - Go to Module 10.01 HASYMP1	860	1.93	1.65
BLANK	Not asked, Module not used, or Missing Notes: Section 12.06, CHILDREN, is coded 88	203,298		

---

**Children Have Asthma Now****Module: 9.02 Childhood Asthma****Type: Question****Column: 277-278****SAS Variable Name: CASTHNOW****Prologue:****Description: [Fill in (Does this child/How many of these children) from module Q9.1] still have asthma?**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1 - 76	Number of Children Notes: If only child from Module Q9.01, CASTHDX, and response is "Yes" to Module Q9.02, CASTHNOW, code 01	5,316	69.72	66.67
88	None Notes: If only child from Module Q9.01, CASTHDX, and response to Module Q9.02 is "No" code 88	2,122	27.83	30.60
77	Do not know/Not sure	180	2.36	2.60
99	Refused	7	0.09	0.14
BLANK	Not asked, Module not used, or Missing Notes: Module 9.01, CASTHDX, is coded 77, 88, 99, or Missing	240,339		

---

## Heart Attack Symptoms - Jaw/Back/Neck Pain

Module: 10.01 Heart Attack and Stroke

Type: Question

Column: 279

SAS Variable Name: HASYMP1

Prologue: Now I would like to ask you about your knowledge of the signs and symptoms of a heart attack and stroke. Which of the following do you think is a symptom of a heart attack? For each, tell me yes, no, or you're not sure.

Description: Do you think pain or discomfort in the jaw, neck, or back are symptoms of a heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17,664	52.28	51.64
2	No	8,379	24.80	28.66
7	Do not know/Not sure	6,906	20.44	17.81
9	Refused	841	2.49	1.90
BLANK	Module not used or Missing	214,174		

---

## Heart Attack Symptoms - Weak/Light-headed/Faint

Module: 10.02 Heart Attack and Stroke

Type: Question

Column: 280

SAS Variable Name: HASYMP2

Prologue:

Description: Do you think feeling weak, lightheaded, or faint are symptoms of a heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21,582	63.89	65.71
2	No	5,821	17.23	18.36
7	Do not know/Not sure	5,528	16.36	14.01
9	Refused	849	2.51	1.92
BLANK	Module not used or Missing	214,184		

---

## Heart Attack Symptoms - Chest Pain/Discomfort

Module: 10.03 Heart Attack and Stroke

Type: Question

Column: 281

SAS Variable Name: HASYMP3

Prologue:

Description: [Do you think] chest pain or discomfort [are symptoms for a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30,807	91.21	93.14
2	No	902	2.67	2.21
7	Do not know/Not sure	1,203	3.56	2.72
9	Refused	863	2.56	1.93
BLANK	Module not used or Missing	214,189		

---

## Heart Attack Symptoms - Vision Problems

Module: 10.04 Heart Attack and Stroke

Type: Question

Column: 282

SAS Variable Name: HASYMP4

Prologue:

Description: [Do you think] sudden trouble seeing in one or both eyes [is a symptom of a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,069	32.78	34.92
2	No	11,748	34.79	36.59
7	Do not know/Not sure	10,082	29.86	26.55
9	Refused	870	2.58	1.94
BLANK	Module not used or Missing	214,195		

---

## Heart Attack Symptoms - Pain or Discomfort in Arms/Shoulder

Module: 10.05 Heart Attack and Stroke

Type: Question

Column: 283

SAS Variable Name: HASYMP5

Prologue:

Description: [Do you think] pain or discomfort in the arms or shoulder [are symptoms of a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28,827	85.44	87.31
2	No	1,949	5.78	5.82
7	Do not know/Not sure	2,091	6.20	4.92
9	Refused	874	2.59	1.95
BLANK	Module not used or Missing	214,223		

---

## Heart Attack Symptoms - Shortness of Breath

Module: 10.06 Heart Attack and Stroke

Type: Question

Column: 284

SAS Variable Name: HASYMP6

Prologue:

Description: [Do you think] shortness of breath [is a symptom of a heart attack]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28,549	84.61	86.90
2	No	1,908	5.66	5.36
7	Do not know/Not sure	2,402	7.12	5.78
9	Refused	881	2.61	1.95
BLANK	Module not used or Missing	214,224		

---

**Stroke Symptoms - Confusion/Trouble speaking****Module: 10.07 Heart Attack and Stroke****Type: Question****Column: 285****SAS Variable Name: STRSYMP1****Prologue: Which of the following do you think is a symptom of a stroke? For each, tell me yes, no, or you're not sure.****Description: Do you think sudden confusion or trouble speaking are symptoms of a stroke?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28,946	85.79	86.61
2	No	892	2.64	3.21
7	Do not know/Not sure	3,032	8.99	8.22
9	Refused	870	2.58	1.95
BLANK	Module not used or Missing	214,224		

---

**Stroke Symptoms - Numbness or Weakness of Face/Arm/Leg****Module: 10.08 Heart Attack and Stroke****Type: Question****Column: 286****SAS Variable Name: STRSYMP2****Prologue:****Description: Do you think sudden numbness or weakness of face, arm, or leg, especially on one side are symptoms of a stroke?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30,664	90.90	92.48
2	No	597	1.77	1.80
7	Do not know/Not sure	1,601	4.75	3.77
9	Refused	872	2.58	1.94
BLANK	Module not used or Missing	214,230		

---

**Stroke Symptoms - Vision Problems****Module: 10.09 Heart Attack and Stroke****Type: Question****Column: 287****SAS Variable Name: STRSYMP3****Prologue:****Description: [Do you think] sudden trouble seeing in one or both eyes [is a symptom of a stroke]?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22,570	66.92	69.22
2	No	2,475	7.34	7.65
7	Do not know/Not sure	7,799	23.13	21.17
9	Refused	881	2.61	1.96
BLANK	Module not used or Missing	214,239		

---

**Stroke Symptoms - Chest Pain/Discomfort****Module: 10.10 Heart Attack and Stroke****Type: Question****Column: 288****SAS Variable Name: STRSYMP4****Prologue:****Description: [Do you think] sudden chest pain or discomfort [are symptoms of a stroke]?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,620	37.43	38.62
2	No	11,121	32.98	34.13
7	Do not know/Not sure	9,096	26.98	25.27
9	Refused	883	2.62	1.97
BLANK	Module not used or Missing	214,244		

---

**Stroke Symptoms - Trouble Walking/Dizziness/Loss of Balance****Module: 10.11 Heart Attack and Stroke****Type: Question****Column: 289****SAS Variable Name: STRSYMP5****Prologue:****Description: [Do you think] sudden trouble walking, dizziness, or loss of balance [are symptoms of a stroke]?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28,241	83.77	85.43
2	No	1,299	3.85	4.04
7	Do not know/Not sure	3,285	9.74	8.55
9	Refused	888	2.63	1.98
BLANK	Module not used or Missing	214,251		

---

**Stroke Symptoms - Severe Headache****Module: 10.12 Heart Attack and Stroke****Type: Question****Column: 290****SAS Variable Name: STRSYMP6****Prologue:****Description: [Do you think] severe headache with no known cause [is a symptom of a stroke]?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20,865	61.90	62.80
2	No	3,861	11.45	12.79
7	Do not know/Not sure	8,094	24.01	22.43
9	Refused	890	2.64	1.98
BLANK	Module not used or Missing	214,254		

---

**First Aid for Heart Attack and Stroke****Module: 10.13 Heart Attack and Stroke****Type: Question****Column: 291****SAS Variable Name: FIRSTAID****Prologue:****Description: If you thought someone was having a heart attack or a stroke, what is the first thing you would do?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Take them the hospital	2,608	7.74	6.48
2	Tell them to call their doctor	318	0.94	0.86
3	Call 911	27,798	82.49	85.07
4	Call their spouse or a family member	228	0.68	0.54
5	Do something else	1,590	4.72	4.53
7	Do not know/Not sure	304	0.90	0.57
9	Refused	851	2.53	1.93
BLANK	Module not used or Missing	214,267		

---

**Are You Eating Fewer Fat/Cholesterol Foods****Module: 11.01 Cardiovascular Disease****Type: Question****Column: 292****SAS Variable Name: CVDFAT02****Prologue: To lower your risk of developing heart disease or stroke, are you...****Description: Eating fewer high fat or high cholesterol foods?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19,003	64.54	62.99
2	No	9,606	32.63	34.09
7	Do not know/Not sure	733	2.49	2.70
9	Refused	101	0.34	0.22
BLANK	Module not used or Missing	218,521		

---

**Eating More Fruits and Vegetables****Module: 11.02 Cardiovascular Disease****Type: Question****Column: 293****SAS Variable Name: CVDFVG01****Prologue:****Description: [To lower your risk of developing heart disease or stroke are you...] Eating more fruits and vegetables?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21,326	72.45	71.02
2	No	7,805	26.51	27.98
7	Do not know/Not sure	212	0.72	0.82
9	Refused	94	0.32	0.18
BLANK	Module not used or Missing	218,527		

---

**More Physically Active****Module: 11.03 Cardiovascular Disease****Type: Question****Column: 294****SAS Variable Name: CVDEXR03****Prologue:****Description: [To lower your risk of developing heart disease or stroke are you...] More physically active?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19,426	66.01	66.12
2	No	9,601	32.62	32.54
7	Do not know/Not sure	302	1.03	1.13
9	Refused	102	0.35	0.21
BLANK	Module not used or Missing	218,533		

---

**Health Advice on Fat/Cholesterol During Past 12 Months****Module: 11.04 Cardiovascular Disease****Type: Question****Column: 295****SAS Variable Name: CVDFATR2****Prologue: Within the past 12 months, has a doctor, nurse, or other health professional told you to...****Description: Eat fewer high fat or high cholesterol foods?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,679	22.71	21.57
2	No	22,560	76.70	77.95
7	Do not know/Not sure	88	0.30	0.30
9	Refused	86	0.29	0.17
BLANK	Module not used or Missing	218,551		

---

**Eat More Fruits and Vegetables****Module: 11.05 Cardiovascular Disease****Type: Question****Column: 296****SAS Variable Name: CVDFVEG****Prologue:****Description: [Within the past 12 months, has a doctor, nurse, or other health professional told you to...] Eat more fruits and vegetables?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,911	30.31	30.21
2	No	20,295	69.03	69.26
7	Do not know/Not sure	110	0.37	0.37
9	Refused	86	0.29	0.16
BLANK	Module not used or Missing	218,562		

---

**More Physically Active****Module: 11.06 Cardiovascular Disease****Type: Question****Column: 297****SAS Variable Name: CVDEXRS2****Prologue:****Description: [Within the past 12 months, has a doctor, nurse, or other health professional told you to...] Be more physically active?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,493	32.29	32.18
2	No	19,726	67.10	67.32
7	Do not know/Not sure	88	0.30	0.31
9	Refused	93	0.32	0.18
BLANK	Module not used or Missing	218,564		

---

**Ever Diagnosed with Heart Attack****Module: 11.07 Cardiovascular Disease****Type: Question****Column: 298****SAS Variable Name: CVDINFR2****Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following?****Description: A heart attack, also called a myocardial infraction.**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,437	4.89	4.05
2	No	27,788	94.59	95.58
7	Do not know/Not sure	64	0.22	0.19
9	Refused	89	0.30	0.18
BLANK	Module not used or Missing	218,586		

---

**Angina or coronary heart disease****Module: 11.08 Cardiovascular Disease****Type: Question****Column: 299****SAS Variable Name: CVDCRHD2****Prologue:****Description: [Has a doctor, nurse or other health professional ever told you that you had any of the following...] Angina or coronary heart disease.**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,562	5.32	4.42
2	No	27,577	93.88	94.92
7	Do not know/Not sure	144	0.49	0.48
9	Refused	92	0.31	0.18
BLANK	Module not used or Missing	218,589		

---

## Ever Diagnosed with a Stroke

Module: 11.09 Cardiovascular Disease

Type: Question

Column: 300

SAS Variable Name: CVDSTRK2

Prologue:

Description: [Has a doctor, nurse or other health professional ever told you that you had any of the following...] A stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	857	2.92	2.29
2	No	28,390	96.66	97.45
7	Do not know/Not sure	37	0.13	0.10
9	Refused	87	0.30	0.17
BLANK	Module not used or Missing	218,593		

---

## Age at Heart Attack

Module: 11.10 Cardiovascular Disease

Type: Question

Column: 301-302

SAS Variable Name: HATTKAGE

Prologue:

Description: At what age did you have your first heart attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 40 or less Notes: _ _ Code age in years	181	12.60	15.23
2	Age 41 to 54	422	29.39	32.27
3	Age 55 to 64	339	23.61	23.74
4	Age 65 or older	366	25.49	19.66
7	Do not know/Not sure	122	8.50	8.70
9	Refused	6	0.42	0.39
BLANK	Not asked, Module not used, or Missing Notes: Module 11.07, CVDINFR2, is coded 2, 7, 9, or Missing	246,528		

---

**Age at Stroke****Module: 11.11 Cardiovascular Disease****Type: Question****Column: 303-304****SAS Variable Name: STROKAGE****Prologue:****Description: At what age did you have your first stroke?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 40 or less Notes: __ Code age in years	126	14.72	19.12
2	Age 41 to 54	156	18.22	20.70
3	Age 55 to 64	163	19.04	17.94
4	Age 65 or older	329	38.43	32.48
7	Do not know/Not sure	80	9.35	9.57
9	Refused	2	0.23	0.18
BLANK	Not asked, Module not used, or Missing Notes: Module 11.09, CVDSTRK2, is coded 2, 7, 9, or Missing	247,108		

---

**Rehabilitation After Cardiovascular Illness****Module: 11.12 Cardiovascular Disease****Type: Question****Column: 305****SAS Variable Name: CVDREHAB****Prologue:****Description: After you left the hospital following your [fill in (heart attack) if “Yes” to M11.7 or to M11.7 and M11.9; fill in (stroke) if “Yes” to M11.9 and “No” to M11.7], did you go to any kind of outpatient rehabilitation? This is sometimes called “rehab.”**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	650	32.15	33.69
2	No	1,338	66.17	64.35
7	Do not know/Not sure	28	1.38	1.76
9	Refused	6	0.30	0.20
BLANK	Not asked, Module not used, or Missing Notes: Module 11.07, CVDINFR2, is coded 2, 7, 9, or Missing and Module 11.09, CVDSTRK2, is coded 2, 7, 9, or Missing	245,942		

---

## Take Aspirin Daily or Every Other Day

Module: 11.13 Cardiovascular Disease

Type: Question

Column: 306

SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes - Go to Module 11.15 WHYASPAN	7,611	33.56	32.29
2	No	14,925	65.81	67.35
7	Do not know/Not sure	42	0.19	0.14
9	Refused	100	0.44	0.22
BLANK	Not asked, Module not used, or Missing Notes: Section 12.01, AGE, is less than 35	225,286		

---

## Health Makes Taking Aspirin Unsafe

Module: 11.14 Cardiovascular Disease

Type: Question

Column: 307

SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a stomach condition?")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, not stomach related - Go to Module 12.01 LOSEWT	1,308	8.68	7.63
2	Yes, stomach problems - Go to Module 12.01 LOSEWT Notes: Code upset stomachs as "stomach problems"	1,291	8.57	7.91
3	No - Go to Module 12.01 LOSEWT	12,217	81.08	83.22
7	Do not know/Not sure - Go to Module 12.01 LOSEWT	148	0.98	0.88
9	Refused - Go to Module 12.01 LOSEWT	104	0.69	0.36
BLANK	Not asked, Module not used, or Missing Notes: Module 11.13, CVDASPRN, is coded 1 or Missing	232,896		

---

## Take Aspirin to Relieve Pain

Module: 11.15 Cardiovascular Disease

Type: Question

Column: 308

SAS Variable Name: WHYASPAN

Prologue:

Description: Why do you take aspirin...to relieve pain?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,625	21.35	22.41
2	No	5,924	77.83	76.77
7	Do not know/Not sure	60	0.79	0.78
9	Refused	2	0.03	0.04
BLANK	Not asked, Module not used, or Missing Notes: Module 11.13, CVDASPRN, is coded 2, 7, 9, or Missing	240,353		

---

**Take Aspirin to Reduce Heart Attack****Module: 11.16 Cardiovascular Disease****Type: Question****Column: 309****SAS Variable Name: WHYASPHA****Prologue:****Description: [Why do you take aspirin]...to reduce the chance of a heart attack?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,214	81.66	81.36
2	No	1,252	16.45	16.80
7	Do not know/Not sure	140	1.84	1.79
9	Refused	4	0.05	0.05
BLANK	Not asked, Module not used, or Missing Notes: Module 11.13, CVDASPRN, is coded 2, 7, 9, or Missing	240,354		

---

**Take Aspirin to Reduce Stroke****Module: 11.17 Cardiovascular Disease****Type: Question****Column: 310****SAS Variable Name: WHYASPSK****Prologue:****Description: [Why do you take aspirin]...to reduce the chance of a stroke?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,477	71.98	68.55
2	No	1,712	22.50	24.81
7	Do not know/Not sure	415	5.45	6.58
9	Refused	5	0.07	0.06
BLANK	Not asked, Module not used, or Missing Notes: Module 11.13, CVDASPRN, is coded 2, 7, 9, or Missing	240,355		

---

**Trying to Lose Weight****Module: 12.01 Weight Control****Type: Question****Column: 311****SAS Variable Name: LOSEWT****Prologue:****Description: Are you now trying to lose weight?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes - Go to Module 12.03 FEWCAL	34,078	43.24	43.09
2	No	43,581	55.30	55.29
7	Do not know/Not sure	149	0.19	0.18
9	Refused	1,003	1.27	1.44
BLANK	Module not used or Missing	169,153		

---

**Trying to Maintain Current Weight****Module: 12.02 Weight Control****Type: Question****Column: 312****SAS Variable Name: MAINTAIN****Prologue:****Description: Are you now trying to maintain you current weight, that is to keep from gaining weight?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26,294	58.78	58.33
2	No - Go to Module 12.06 DRADVICE	17,167	38.38	38.55
7	Do not know/Not sure - Go to Module 12.06 DRADVICE	263	0.59	0.58
9	Refused - Go to Module 12.06 DRADVICE	1,008	2.25	2.54
BLANK	Not asked, Module not used, or Missing Notes: Module 12.01, LOSEWT, is coded 1	203,232		

---

**Eating Fewer Calories or Less Fat for Weight Control****Module: 12.03 Weight Control****Type: Question****Column: 313****SAS Variable Name: FEWCAL****Prologue:****Description: Are you eating either fewer calories or less fat to...lose weight [if "Yes" on module Q12.1]...keep from gaining weight [if "Yes" on module Q12.2]? (Probe for which.)**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, fewer calories	8,753	14.50	14.84
2	Yes, less fat	12,658	20.97	22.35
3	Yes, fewer calories and less fat	23,604	39.10	36.93
4	No	14,530	24.07	24.50
7	Do not know/Not sure	776	1.29	1.31
9	Refused	40	0.07	0.06
BLANK	Not asked, Module not used, or Missing Notes: Module 12.01, FEWCAL, is coded 2, 7, 9, or Missing AND Module 12.02, MAINTAIN, is coded 2, 7, 9, or Missing	187,603		

---

**Increased Physical Activity****Module: 12.04 Weight Control****Type: Question****Column: 314****SAS Variable Name: PHYACT****Prologue:****Description: Are you using physical activity or exercise to...lose weight [if "Yes" on module Q12.1]...keep from gaining weight [if "Yes" on module Q12.2]?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40,196	66.60	68.08
2	No	19,982	33.11	31.63
7	Do not know/Not sure	143	0.24	0.23
9	Refused	36	0.06	0.06
BLANK	Not asked, Module not used, or Missing Notes: Module 12.02, MAINTAIN, is coded 2, 7, 9, or Missing	187,607		

---

**Desired Weight****Module: 12.05 Weight Control****Type: Question****Column: 315-317****SAS Variable Name: WTDESIRE****Prologue:****Description: How much would you like to weigh?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 776	Weight pounds Notes: _ _ _ = Weight pounds	58,014	96.14	96.11
777	Do not know/Not sure	1,731	2.87	2.96
999	Refused	597	0.99	0.93
BLANK	Not asked, Module not used, or Missing Notes: Module 12.02, MAINTAIN, is coded 2, 7, 9, or Missing	187,622		

---

**Professional Advice About Weight****Module: 12.06 Weight Control****Type: Question****Column: 318****SAS Variable Name: DRADVICE****Prologue:****Description: In the past 12 months, has a doctor, nurse or other health professional given you advice about your weight? (Probe for which.)**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, lose weight	11,212	14.23	14.55
2	Yes, gain weight	1,342	1.70	1.70
3	Yes, maintain current weight	1,624	2.06	2.01
4	No	63,410	80.50	80.09
7	Do not know/Not sure	121	0.15	0.14
9	Refused	1,058	1.34	1.52
BLANK	Module not used or Missing	169,197		

---

**Current Vitamin User****Module: 13.01 Folic Acid****Type: Question****Column: 319****SAS Variable Name: VITAMINS****Prologue:****Description: Do you currently take any vitamin pills or supplements? (Include liquid supplements.)**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38,285	56.17	52.58
2	No - Go to Module 13.05 RECOMMEN	28,259	41.46	44.82
7	Do not know/Not sure - Go to Module 13.05 RECOMMEN	313	0.46	1.12
9	Refused - Go to Module 13.05 RECOMMEN	1,302	1.91	1.47
BLANK	Module not used or Missing	179,805		

---

**Multivitamin User****Module: 13.02 Folic Acid****Type: Question****Column: 320****SAS Variable Name: MULTIVIT****Prologue:****Description: Are any of these a multivitamin?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes - Go to Module 13.04 TAKEVIT	31,278	81.70	81.69
2	No	6,619	17.29	17.19
7	Do not know/Not sure	383	1.00	1.11
9	Refused	5	0.01	0.01
BLANK	Not asked, Module not used, or Missing Notes: Module 13.01, VITAMINS, is coded 2, 7, 9, or Missing	209,679		

---

**Vitamins with Folic Acid****Module: 13.03 Folic Acid****Type: Question****Column: 321****SAS Variable Name: FOLICACD****Prologue:****Description: Do any of the vitamin pills or supplements you take contain folic acid?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,728	24.67	25.17
2	No - Go to Module 13.05 RECOMMEN	3,582	51.13	51.15
7	Do not know/Not sure - Go to Module 13.05 RECOMMEN	1,689	24.11	23.57
9	Refused - Go to Module 13.05 RECOMMEN	6	0.09	0.11
BLANK	Not asked, Module not used, or Missing Notes: Module 13.02 MULTIVIT is coded 1 or Missing	240,959		

---

**Time frequency vitamin use****Module: 13.04 Folic Acid****Type: Question****Column: 322****SAS Variable Name: TAKEVIT****Prologue:****Description: How often do you take this vitamin pill or supplement?**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
101 - 199	Times per day	29,398	89.07	87.99
201 - 299	Times per week	3,064	9.28	10.16
301 - 399	Times per month	355	1.08	1.26
777	Do not know/Not sure	176	0.53	0.50
999	Refused	11	0.03	0.09
BLANK	Not asked, Module not used, or Missing Notes: Module 13.03, FOLICACD, is coded 2, 7, 9, or Missing	214,960		

---

**Reason to take Folic Acid****Module: 13.05 Folic Acid****Type: Question****Column: 325****SAS Variable Name: RECOMMEN****Prologue:****Description: Some health experts recommend that women take 400 micrograms of the B vitamin folic acid, for which one of the following reasons...?**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1	To make strong bones	4,052	13.40	13.37
2	To prevent birth defects	11,655	38.55	35.09
3	To prevent high blood pressure	1,174	3.88	4.40
4	Some other reason	3,341	11.05	12.16
7	Do not know/Not sure	9,344	30.90	33.18
9	Refused	669	2.21	1.80
BLANK	Not asked, Module not used, or Missing Notes: Section 12.01, AGE, is greater than 44	217,729		

---

**Age When First Smoked****Module: 14.01 Tobacco Indicators****Type: Question****Column: 326-327****SAS Variable Name: FIRSTSMK****Prologue: Previously you said you have smoked cigarettes.****Description: How old were you the first time you smoked a cigarette, even one or two puffs?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Age in years Notes: _ _ Code age in years	47,200	96.08	96.22
77	Do not know/Not sure	1,340	2.73	2.47
99	Refused	584	1.19	1.31
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, SMOKE100, is coded 2, 7, 9, or Missing	198,840		

---

**Age Became Regular Smoker****Module: 14.02 Tobacco Indicators****Type: Question****Column: 328-329****SAS Variable Name: REGSMK****Prologue:****Description: How old were you when you first started smoking cigarettes regularly?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Age in years Notes: _ _ Code age in years	44,911	91.38	91.63
88	Never smoked regularly - Go to Module 14.06 HOUSESMK	2,450	4.98	4.79
77	Do not know/Not sure	1,160	2.36	2.20
99	Refused	629	1.28	1.37
BLANK	Not asked, Module not used, or Missing Notes: Section 9.01, SMOKE100, is coded 2, 7, 9, or Missing	198,814		

---

**Interval Since Last Smoked****Module: 14.03 Tobacco Indicators****Type: Question****Column: 330-331****SAS Variable Name: LASTSMK****Prologue:****Description: About how long has it been since you last smoked cigarettes regularly?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (< 1 month ago) - Go to Module 14.04 GETCARE	427	1.77	2.12
2	Within the past 3 months (1 month but < 3 months ago) - Go to Module 14.04 GETCARE	449	1.86	2.23
3	Within the past 6 months (3 months but < 6 months) - Go to Module 14.04 GETCARE	480	1.98	2.39
4	Within the past year (6 months but < 1 year ago) - Go to Module 14.04 GETCARE	836	3.46	4.00
5	Within the past 5 years (1 year but < 5 years ago) - Go to Module 14.06 HOUSESMK	3,873	16.01	17.09
6	Within the past 10 years (5 years but < 10 years ago) - Go to Module 14.06 HOUSESMK	2,679	11.07	11.26
7	10 or more years - Go to Module 14.06 HOUSESMK	14,955	61.82	58.89
77	Do not know/Not sure - Go to Module 14.06 HOUSESMK	106	0.44	0.38
99	Refused - Go to Module 14.06 HOUSESMK	385	1.59	1.64
BLANK	Not asked, Module not used, or Missing Notes: Section 9.02, SMOKEDAY, is coded 1, 2, 9, or Missing	223,774		

---

**Health Care in Past 12 Months****Module: 14.04 Tobacco Indicators****Type: Question****Column: 332****SAS Variable Name: GETCARE****Prologue:****Description: In the past 12 months, have you seen a doctor, nurse or other health professional to get any kind of care for yourself?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,951	64.77	59.04
2	No - Go to Module 14.06 HOUSESMK	8,378	34.02	39.36
7	Do not know/Not sure - Go to Module 14.06 HOUSESMK	40	0.16	0.22
9	Refused - Go to Module 14.06 HOUSESMK	259	1.05	1.38
BLANK	Not asked, Module not used, or Missing Notes: Section 9.02, SMOKEDAY, is coded 3, 9 or Missing; and Module 14.03, LASTSMK, coded 5, 6, 7, 77, 99, or Missing	223,336		

---

## Health Professional Ever Advised To Quit Smoking

Module: 14.05 Tobacco Indicators

Type: Question

Column: 333

SAS Variable Name: QUITSMOK

Prologue:

Description: In the past 12 months, has a doctor, nurse or other health professional advised you to quit smoking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,360	71.23	69.33
2	No	4,543	28.48	30.42
7	Do not know/Not sure	34	0.21	0.19
9	Refused	12	0.08	0.06
BLANK	Not asked, Module not used, or Missing Notes: Module 14.04, GETCARE, is coded 2, 7, 9, or Missing	232,015		

---

## Smoking Policy at Home

Module: 14.06 Tobacco Indicators

Type: Question

Column: 334

SAS Variable Name: HOUSESMK

Prologue:

Description: Which statement best describes the rules about smoking inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not allowed anywhere inside your home	67,913	66.47	68.02
2	Allowed in some places or at some times	10,258	10.04	9.57
3	Allowed anywhere inside the home	3,691	3.61	3.53
4	No rules about smoking inside the home	18,719	18.32	17.08
7	Do not know/Not sure	227	0.22	0.21
9	Refused	1,358	1.33	1.58
BLANK	Module not used or Missing	145,798		

---

## Indoor work location

Module: 14.07 Tobacco Indicators

Type: Question

Column: 335

SAS Variable Name: INDOORS

Prologue:

Description: While working at your job, are you indoors most of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47,850	78.49	76.34
2	No - Go to Module 15.01 USEEVER2	11,830	19.41	21.29
7	Do not know/Not sure - Go to Module 15.01 USEEVER2	462	0.76	0.68
9	Refused - Go to Module 15.01 USEEVER2	820	1.35	1.69
BLANK	Not asked, Module not used, or Missing Notes: Section 12.08, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing	187,002		

---

## Work Smoking Policy for Indoor Common Areas

Module: 14.08 Tobacco Indicators

Type: Question

Column: 336

SAS Variable Name: SMKPUBLIC

Prologue:

Description: Which of the following best describes your place of work's official smoking policy for indoor public or common areas, such as lobbies, rest rooms, and lunch rooms? (For workers who visit clients, "place of work" means their base location.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not allowed in any public areas	36,750	76.84	74.20
2	Allowed in some public areas	7,280	15.22	16.99
3	Allowed in all public areas	1,012	2.12	2.35
4	No official policy	2,316	4.84	5.40
7	Do not know/Not sure	384	0.80	0.91
9	Refused	82	0.17	0.16
BLANK	Not asked, Module not used, or Missing Notes: Module 14.07, INDOORS, is coded 2, 7, or 9	200,140		

---

## Smoking Policy for Work Areas

Module: 14.09 Tobacco Indicators

Type: Question

Column: 337

SAS Variable Name: SMKWORK

Prologue:

Description: Which of the following best describes your place of work's official smoking policy for work areas?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not allowed in any work areas	40,236	84.16	81.84
2	Allowed in some work areas	4,321	9.04	10.58
3	Allowed in all work areas	949	1.98	2.18
4	No official policy	1,946	4.07	4.55
7	Do not know/Not sure	274	0.57	0.62
9	Refused	84	0.18	0.23
BLANK	Not asked, Module not used, or Missing Notes: Module 14.07, INDOORS, is coded 2, 7 or 9	200,154		

---

**Ever Used Smokeless Tobacco Products****Module: 15.01 Other Tobacco Products****Type: Question****Column: 338****SAS Variable Name: USEEVER2****Prologue:****Description: Have you ever used or tried any smokeless tobacco products such as chewing tobacco or snuff?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,906	14.81	16.50
2	No - Go to Module 15.03 CIGAR2	50,119	83.36	81.43
7	Do not know/Not sure - Go to Module 15.03 CIGAR2	30	0.05	0.05
9	Refused - Go to Module 15.03 CIGAR2	1,067	1.77	2.02
BLANK	Module not used or Missing	187,842		

---

**Use of Smokeless Tobacco Products****Module: 15.02 Other Tobacco Products****Type: Question****Column: 339****SAS Variable Name: USENOW2****Prologue:****Description: Do you currently use chewing tobacco or snuff every day, some days, or not at all?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	1,115	12.52	12.89
2	Some days	659	7.40	8.35
3	Not at all	7,127	80.03	78.75
7	Do not know/Not sure	1	0.01	0.00
9	Refused	3	0.03	0.02
BLANK	Not asked, Module not used, or Missing Notes: Module 15.01, USEEVER2, is coded 2, 7, 9, or Missing	239,059		

---

**Past Cigar Use****Module: 15.03 Other Tobacco Products****Type: Question****Column: 340****SAS Variable Name: CIGAR2****Prologue:****Description: Have you ever smoked a cigar, even one or two puffs?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22,740	37.83	41.01
2	No - Go to Module 15.05 PIPESMK	36,224	60.26	56.88
7	Do not know/Not sure - Go to Module 15.05 PIPESMK	85	0.14	0.10
9	Refused - Go to Module 15.05 PIPESMK	1,065	1.77	2.01
BLANK	Module not used or Missing	187,850		

---

**Current Cigar Use****Module: 15.04 Other Tobacco Products****Type: Question****Column: 341****SAS Variable Name: CIGARNOW****Prologue:****Description: Do you now smoke cigars every day, some days, or not at all?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	274	1.20	1.33
2	Some days	2,388	10.50	12.34
3	Not at all	20,052	88.17	85.97
7	Do not know/Not sure	24	0.11	0.12
9	Refused	5	0.02	0.25
BLANK	Not asked, Module not used, or Missing Notes: Module 15.03, CIGAR2, is coded 2, 7, 9, or Missing	225,221		

---

**Past Pipe Use****Module: 15.05 Other Tobacco Products****Type: Question****Column: 342****SAS Variable Name: PIPESMK****Prologue:****Description: Have you ever smoked tobacco in a pipe, even one or two puffs?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,229	18.68	19.07
2	No - Go to Module 15.07 BIDISMK	47,711	79.37	78.77
7	Do not know/Not sure - Go to Module 15.07 BIDISMK	100	0.17	0.13
9	Refused - Go to Module 15.07 BIDISMK	1,073	1.78	2.03
BLANK	Module not used or Missing	187,851		

---

**Current Pipe Use****Module: 15.06 Other Tobacco Products****Type: Question****Column: 343****SAS Variable Name: PIPENOW****Prologue:****Description: Do you now smoke a pipe every day, some days, or not at all?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	121	1.08	1.08
2	Some days	367	3.27	3.20
3	Not at all	10,733	95.58	95.14
7	Do not know/Not sure	6	0.05	0.03
9	Refused	2	0.02	0.54
BLANK	Not asked, Module not used, or Missing Notes: Module 15.05, PIPESMK, is coded 2, 7, 9, or Missing	236,735		

---

**Past Bidi Use****Module: 15.07 Other Tobacco Products****Type: Question****Column: 344****SAS Variable Name: BIDISMK****Prologue: A bidi is a flavored cigarette from India.****Description: Have you ever smoked a bidi, even one or two puffs?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,795	2.99	4.21
2	No - Go to Module 16.01 PAIN30DY	57,054	94.92	93.45
7	Do not know/Not sure - Go to Module 16.01 PAIN30DY	177	0.29	0.30
9	Refused - Go to Module 16.01 PAIN30DY	1,081	1.80	2.04
BLANK	Module not used or Missing	187,857		

---

**Current Bidi Use****Module: 15.08 Other Tobacco Products****Type: Question****Column: 345****SAS Variable Name: BIDINOW****Prologue:****Description: Do you now smoke bidis every day, some days, or not at all?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	12	0.67	2.93
2	Some days	106	5.91	7.27
3	Not at all	1,674	93.31	89.73
7	Do not know/Not sure	2	0.11	0.07
BLANK	Not asked, Module not used, or Missing Notes: Module 15.07, BIDISMK, is coded 2, 7, 9, or Missing	246,170		

---

**Had Pain, Aching, Stiffness, Swelling****Module: 16.01 Arthritis****Type: Question****Column: 346****SAS Variable Name: PAIN30DY****Prologue: The next questions refer to your joints. Please do not include the back or neck.****Description: During the past 30 days, have you had any symptoms of pain, aching, or stiffness in or around a joint?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	61,523	45.80	43.01
2	No - Go to Module 16.04 JOINTRT	69,779	51.94	54.60
7	Do not know/Not sure - Go to Module 16.04 JOINTRT	191	0.14	0.15
9	Refused - Go to Module 16.04 JOINTRT	2,850	2.12	2.25
BLANK	Module not used or Missing	113,621		

---

**Joint Symptoms Three Months Old****Module: 16.02 Arthritis****Type: Question****Column: 347****SAS Variable Name: JOINTSYM****Prologue:****Description: Did your joint symptoms first begin more than 3 months ago?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51,216	83.25	81.28
2	No	9,927	16.14	18.09
7	Do not know/Not sure	352	0.57	0.58
9	Refused	26	0.04	0.05
BLANK	Not asked, Module not used, or Missing Notes: Module 16.01, PAIN30DY, is coded 2, 7, 9, or Missing	186,443		

---

**Treated For Joint Symptoms****Module: 16.03 Arthritis****Type: Question****Column: 348****SAS Variable Name: JOINTRT2****Prologue:****Description: Have you ever seen a doctor or other health professional for these joint symptoms?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41,646	67.71	64.84
2	No	19,791	32.18	35.04
7	Do not know/Not Sure	52	0.08	0.09
9	Refused	20	0.03	0.03
BLANK	Not asked, Module not used, or Missing Notes: Module 16.01, PAIN30DY, is coded 2, 7, 9, or Missing	186,455		

---

**Told Have Arthritis****Module: 16.04 Arthritis****Type: Question****Column: 349****SAS Variable Name: HAVARTH2****Prologue:****Description: Have you ever been told by a doctor or other health professional that you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc. (See Questionnaire for Complete List))**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41,067	30.57	26.10
2	No	89,878	66.91	71.31
7	Do not know/Not Sure	489	0.36	0.31
9	Refused	2,897	2.16	2.29
BLANK	Module not used or Missing	113,633		

---

**Limited Because of Joint Symptoms****Module: 16.05 Arthritis****Type: Question****Column: 350****SAS Variable Name: LMTJOIN2****Prologue:****Description: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms? (Note: If a respondent question arises about medication, then the interviewer should reply: "Please answer the question based on how you are when you are taking any of the medications or treatments you might use.")**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19,647	27.89	25.56
2	No	50,443	71.60	73.89
7	Do not know/Not sure	298	0.42	0.46
9	Refused	60	0.09	0.09
BLANK	Not asked, Module not used, or Missing Notes: Module 16.01, PAIN30DY, and Module 16.04, ARTHRIT2, are coded 2, 7, 9, or Missing	177,516		

---

**Does Arthritis Affect Whether You Work****Module: 16.06 Arthritis****Type: Question****Column: 351****SAS Variable Name: ARTHDISB****Prologue:****Description: In this next question we are referring to work for pay. Do arthritis or joint symptoms now affect whether you work, the type of work you do or the amount of work you do?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,843	23.31	22.29
2	No	38,375	75.52	76.66
7	Do not know/Not sure	372	0.73	0.70
9	Refused	226	0.44	0.35
BLANK	Not asked, Module not used, or Missing Notes: Module 16.01, PAIN30DY, and Module 16.04, ARTHRIT2, are coded 2, 7, 9, or Missing; or Section 12.01, AGE, is less than 18 or greater than 64	197,148		

---

**State Added Questions****State: 1.01 StateQuestions****Type: Miscellaneous****Column: 352-601****SAS Variable Name: STATEQUE****Prologue:****Description: State Added Questions**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Sept. 11: Know Victim(s)****Module: 17.01 Effects of September 11th Attacks****Type: Question****Column: 711****SAS Variable Name: ATKVICT**

**Prologue:** Next we would like to ask you about the September 11th attacks on the United States. Being a victim of the attack includes witnessing, being injured, killed, or having a home or workplace disrupted or damaged. We want you to think only about people that you know personally including family members, friends, coworkers, acquaintances, or members of your community.

**Description:** Were you or anyone you know a victim of the attacks?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	705	8.36	9.85
2	No - Go to Module 17.3 ATKSVCS	7,507	88.98	88.86
7	Do not know/Not sure - Go to Module 17.3 ATKSVCS	13	0.15	0.10
9	Refused - Go to Module 17.3 ATKSVCS	212	2.51	1.18
BLANK	Module not used or Missing	239,527		

---

**Sept. 11: Victim(s)****Module: 17.02 Effects of September 11th Attacks****Type: Question****Column: 712-725****SAS Variable Name: ATKVID**

**Prologue:**

**Description:** Who were the victims of the attacks?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing	247,259		
UNUSED	Suppressed	705	100.00	100.00

---

**Sept. 11: Services Attended****Module: 17.03 Effects of September 11th Attacks****Type: Question****Column: 726****SAS Variable Name: ATKSVCS**

**Prologue:**

**Description:** Did you attend or participate in any memorial or religious services related to the attacks?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,800	33.18	33.58
2	No	5,411	64.13	65.00
7	Do not know/Not sure	13	0.15	0.23
9	Refused	214	2.54	1.19
BLANK	Module not used or Missing	239,526		

---

**Sept. 11: Employed****Module: 17.04 Effects of September 11th Attacks****Type: Question****Column: 727****SAS Variable Name: ATKEMPL****Prologue:****Description: Were you employed at the time of the attacks?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,444	64.54	69.40
2	No - Go to Module 17.9 ATKPRB	2,772	32.86	29.38
7	Do not know/Not sure - Go to Module 17.9 ATKPRB	4	0.05	0.02
9	Refused - Go to Module 17.9 ATKPRB	215	2.55	1.20
BLANK	Module not used or Missing	239,529		

---

**Sept. 11: Missed Work****Module: 17.05 Effects of September 11th Attacks****Type: Question****Column: 728****SAS Variable Name: ATKNOWRK****Prologue:****Description: Did you miss work for any reason because of the attacks?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	350	6.43	7.05
2	No - Go to Module 17.8 ATKEVAC	5,094	93.57	92.95
BLANK	Not asked, Module not used, or Missing Notes: Module 17.04, ATKEMPL, is coded 2, 7, 9, or Missing	242,520		

---

**Sept. 11: Reason Missed Work****Module: 17.06 Effects of September 11th Attacks****Type: Question****Column: 729****SAS Variable Name: ATKRSWRK****Prologue:****Description: What was the major reason you missed work?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Damage to workplace	3	0.85	1.42
2	Workplace closed or no transportation to workplace	98	27.92	29.04
3	Personal injury	2	0.57	0.15
4	Too upset to work	53	15.10	10.51
5	Did not feel well enough to work	10	2.85	1.76
6	Other	172	49.00	52.93
7	Do not know/Not sure	7	1.99	2.05
8	Did not feel safe	6	1.71	2.13
BLANK	Not asked, Module not used, or Missing Notes: Module 17.05, ATKNOWRK, is coded 2, 7, 9, or Missing	247,613		

---

**Sept. 11: Days Work Missed****Module: 17.07 Effects of September 11th Attacks****Type: Question****Column: 730-731****SAS Variable Name: ATKDYWRK****Prologue:****Description: How many days did you miss work?**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1 - 96	Code actual number from 01 to 96 Notes: 97=more than 96	325	92.86	93.45
97	More than 96	6	1.71	1.42
98	Do not know/Not sure	17	4.86	4.73
99	Refused	2	0.57	0.39
BLANK	Not asked, Module not used, or Missing Notes: Module 17.05, ATKNOWRK, is coded 2, 7, 9, or Missing	247,614		

---

**Sept. 11: Evacuate****Module: 17.08 Effects of September 11th Attacks****Type: Question****Column: 732****SAS Variable Name: ATKEVAC****Prologue:****Description: Did you have to evacuate or were you told to leave work the day of the attacks?**

<b>Value</b>	<b>Value Label</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Weighted Percentage</b>
1	Yes	202	3.71	3.65
2	No	5,236	96.16	96.25
7	Do not know/Not sure	5	0.09	0.08
9	Refused	2	0.04	0.01
BLANK	Not asked, Module not used, or Missing Notes: Module 17.04, ATKEMPL, is coded 2, 7, 9, or Missing	242,519		

---

**Sept. 11: TV or Internet****Module: 17.09 Effects of September 11th Attacks****Type: Question****Column: 733****SAS Variable Name: ATKMEDIA****Prologue:****Description: During the days immediately following the attacks, would you say you watched television or followed internet coverage...?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	A lot	6,168	73.12	74.41
2	Some	1,508	17.88	18.30
3	Very little	387	4.59	4.26
4	Not at all	139	1.65	1.66
7	Do not know/Not sure	16	0.19	0.13
9	Refused	218	2.58	1.23
BLANK	Module not used or Missing	239,528		

---

**Sept. 11: Experienced Problems****Module: 17.10 Effects of September 11th Attacks****Type: Question****Column: 734-749****SAS Variable Name: ATKPRB****Prologue:****Description: Have you experienced any of the following feelings or problems, because of the attacks...? (Check all that apply.)**

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Module not used or Missing	239,528		
UNUSED	Suppressed	8,436	100.00	100.00

---

**Sept. 11: Got Help****Module: 17.11 Effects of September 11th Attacks****Type: Question****Column: 750****SAS Variable Name: ATKHELP****Prologue:****Description: Did you get help with problems you have experienced since the attacks?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	446	7.96	6.94
2	No - Go to Module 17.13 ATKDRNK	4,927	87.89	91.14
7	Do not know/Not sure - Go to Module 17.13 ATKDRNK	8	0.14	0.18
9	Refused - Go to Module 17.13 ATKDRNK	225	4.01	1.74
BLANK	Module not used or Missing	242,358		

---

**Sept. 11: Got Help From****Module: 17.12 Effects of September 11th Attacks****Type: Question****Column: 751-772****SAS Variable Name: ATK AID****Prologue:****Description: From whom have you gotten help?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, Module not used, or Missing Notes: Module 17.11, ATKHELP, is coded 88	247,517		
UNUSED	Suppressed	447	100.00	100.00

---

**Sept. 11: Drink More Alcohol****Module: 17.13 Effects of September 11th Attacks****Type: Question****Column: 773****SAS Variable Name: ATKDRNK****Prologue:****Description: Did you have more alcoholic beverages to drink than usual in the 30 days after the attacks?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	119	2.01	2.13
2	No	5,684	95.80	96.71
7	Do not know/not sure	20	0.34	0.35
9	Refused	110	1.85	0.80
BLANK	Not asked, Module not used, or Missing Notes: Section 10.01, ALCDAY3, is coded 888, 999, or Missing	242,031		

---

**Sept. 11: Smoke More****Module: 17.14 Effects of September 11th Attacks****Type: Question****Column: 774****SAS Variable Name: ATKSMOK****Prologue:****Description: Did you smoke more cigarettes than usual in the 30 days after the attacks?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes - Go to Module 17.16 ATKSITE	293	16.36	15.72
2	No - Go to Module 17.16 ATKSITE	1,422	79.40	81.79
7	Do not know/Not sure - Go to Module 17.16 ATKSITE	29	1.62	1.30
9	Refused - Go to Module 17.16 ATKSITE	47	2.62	1.20
BLANK	Not asked, Module not used, or Missing Notes: Section 9.02, SMOKEDAY, is coded 3, 9 or Missing	246,173		

---

**Sept. 11: Started Smoking****Module: 17.15 Effects of September 11th Attacks****Type: Question****Column: 775****SAS Variable Name: ATKNSMOK****Prologue:****Description: Did you start smoking cigarettes after the attacks?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	0.82	1.33
2	No	2,104	96.34	97.31
7	Do not know/Not sure	1	0.05	0.11
9	Refused	61	2.79	1.25
BLANK	Not asked, Module not used, or Missing Notes: Section 9.02, SMOKEDAY, is coded 1, 2, or Missing	245,780		

---

**Sept. 11: At Site(s)****Module: 17.16 Effects of September 11th Attacks****Type: Question****Column: 776****SAS Variable Name: ATKSITE****Prologue:****Description: Were you in New York City or Washington, D.C. the day of the attacks?**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	0.31	0.31
2	No	8,177	96.98	98.35
7	Do not know/Not sure	2	0.02	0.04
9	Refused	227	2.69	1.29
BLANK	Module not used or Missing	239,532		

---

**Sample Design Stratification Variable****Weighting: 1.01 Weighting And Stratification Variables****Type: Stratify****Column: 777-781****SAS Variable Name: \_STSTR****Prologue:****Description:**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Stratum weight****Weighting: 1.02 Weighting And Stratification Variables****Type: Stratify****Column: 782-791****SAS Variable Name: \_STRWT****Prologue:****Description:**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Raw weighting factor****Weighting: 1.03 Weighting And Stratification Variables****Type: Stratify****Column: 792-801****SAS Variable Name: \_RAW****Prologue:****Description:**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	247,964	100.00	100.00

---

**Design weight. The product of the preceding four factors****Weighting: 1.04 Weighting And Stratification Variables****Type: Stratify****Column: 802-811****SAS Variable Name: \_WT2****Prologue:****Description:**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Post-stratification weight (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).****Weighting: 1.05 Weighting And Stratification Variables****Type: Stratify****Column: 812-821****SAS Variable Name: \_POSTSTR****Prologue:****Description:**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	247,964	100.00	100.00

---

**Final weight: Post-stratification weight multiplied by \_WT2**

**Weighting: 1.06 Weighting And Stratification Variables**

**Type: Stratify**

**Column: 822-831**

**SAS Variable Name: \_FINALWT**

**Prologue:**

**Description: Final weight assigned to each respondent**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed Notes: Floating Decimal Point	247,964	100.00	100.00

---

## Region

**Weighting: 1.07 Weighting And Stratification Variables**

**Type: Stratify**

**Column: 832-833**

**SAS Variable Name: \_REGION**

**Prologue:**

**Description: Geographic region within a state, imputed from CTYCODE, \_IMPCTY, or \_GEOSTR**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		193,955	78.22	88.26
2		17,266	6.96	3.82
3		12,104	4.88	2.49
4		8,803	3.55	2.07
5		7,373	2.97	1.85
6		3,316	1.34	0.51
7		2,692	1.09	0.51
8		1,268	0.51	0.30
9		267	0.11	0.01
10		362	0.15	0.12
11		282	0.11	0.00
12		276	0.11	0.07

---

**Age group codes used in post-stratification.**

**Weighting: 1.08 Weighting And Stratification Variables**

**Type: Stratify**

**Column: 834-835**

**SAS Variable Name: \_AGEG\_**

**Prologue:**

**Description: Age groups used in post-stratification**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24 Notes: 18 LE AGE LE 24	18,596	7.50	13.15
2	Age 25 to 34	39,392	15.89	18.28
3	Age 35 to 44	50,609	20.41	20.76
4	Age 45 to 54	51,052	20.59	18.58
5	Age 55 to 64	35,903	14.48	12.36
6	Age 65 or older	50,956	20.55	16.42
7	Age 18 to 34 Notes: 18 LE AGE LE 34	850	0.34	0.20
8	Age 35 to 54	150	0.06	0.01
9	Age 55 or older	129	0.05	0.02
10	Age 18 to 44 Notes: 18 LE AGE LE 44	143	0.06	0.12
11	Age 45 or older	184	0.07	0.10

---

**Gender group codes used in post-stratification.**

**Weighting: 1.10 Weighting And Stratification Variables**

**Type: Stratify**

**Column: 836**

**SAS Variable Name: \_SEXG\_**

**Prologue:**

**Description: Gender categories used in post-stratification**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	99,262	40.03	48.19
2	Female	148,702	59.97	51.81

---

**Race group codes used in post-stratification.**

**Weighting: 1.11 Weighting And Stratification Variables**

**Type: Stratify**

**Column: 837**

**SAS Variable Name: \_RACEG3\_**

**Prologue:**

**Description: Post-stratification race group codes used in weighting**

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Any race and ethnicity	151,188	60.97	42.08
1	White Non-Hispanic	74,811	30.17	38.73
2	Other than White or Hispanic	21,965	8.86	19.20

---

**Age value used to determine age groups**

**Weighting: 1.12 Weighting And Stratification Variables**

**Type: Stratify**

**Column: 838-839**

**SAS Variable Name: \_IMPAGE**

**Prologue:**

**Description: Imputed age used in post-stratification**

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	18,879	7.61	13.24
25 - 34	Age 25 to 34	40,038	16.15	18.45
35 - 44	Age 35 to 44	50,752	20.47	20.82
45 - 54	Age 45 to 54	51,189	20.64	18.62
55 - 64	Age 55 to 64	36,024	14.53	12.39
65 - 99	Age 65 or older	51,082	20.60	16.47

---

**Imputed number of phones**

**Weighting: 1.13 Weighting And Stratification Variables**

**Type: Stratify**

**Column: 840**

**SAS Variable Name: \_IMPNPH**

**Prologue:**

**Description: Imputed number of phones used in weighting**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1		228,444	92.13	94.32
2		17,869	7.21	5.29
3		1,403	0.57	0.34
4		182	0.07	0.04
5		43	0.02	0.01
6		23	0.01	0.00

---

**Metropolitan Statistical Area Code.**

**Weighting: 1.14 Weighting And Stratification Variables**

**Type: Stratify**

**Column: 841-844**

**SAS Variable Name: \_MSACODE**

**Prologue:**

**Description: FIPS Metropolitan Statistical Area Code**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Leisure Time Physical Activity****Calculated Variables:** 3.01 Calculated Variables**Type:** Calculated**Column:** 845**SAS Variable Name:** \_TOTINDA**Prologue:****Description:** No leisure time physical activity or exercise during the past 30 days other than the respondent's regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	184,858	74.55	74.67
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	62,955	25.39	25.27
9	Do not know/Refused/Missing Notes: EXERANY2 = 7 OR 9 OR '.'	151	0.06	0.06

---

**Fruit Juice times per day****Calculated Variables:** 4.01 Calculated Variables**Type:** Calculated**Column:** 846-848**SAS Variable Name:** FTJUDAY\_**Prologue:****Description:** Fruit juice times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day	242,164	97.66	96.78
100		42	0.02	0.03
110		2	0.00	0.00
120		15	0.01	0.01
140		1	0.00	0.00
150		5	0.00	0.01
160		2	0.00	0.00
200		7	0.00	0.00
300		2	0.00	0.00
500		1	0.00	0.00
640		1	0.00	0.00
990	Do not Know/Not Sure Or Refused/Missing	5,722	2.31	3.17

---

**Fruit Times per day****Calculated Variables:** 4.02 Calculated Variables**Type:** Calculated**Column:** 849-851**SAS Variable Name:** FRUTDAY\_**Prologue:****Description:** Fruit times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day	241,828	97.53	96.62
100		16	0.01	0.01
110		2	0.00	0.00
114		1	0.00	0.00
120		3	0.00	0.00
150		2	0.00	0.00
160		1	0.00	0.00
200		3	0.00	0.00
210		1	0.00	0.00
300		2	0.00	0.00
990	Do not Know/Not Sure Or Refused/Missing	6,105	2.46	3.37

---

**Green Salad Times per day****Calculated Variables:** 4.03 Calculated Variables**Type:** Calculated**Column:** 852-854**SAS Variable Name:** GNSLDAY\_**Prologue:****Description:** Green salad times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day	242,459	97.78	96.96
100		1	0.00	0.00
110		1	0.00	0.00
990	Do not Know/Not Sure Or Refused/Missing	5,503	2.22	3.04

---

**Potato Times per day****Calculated Variables:** 4.04 Calculated Variables

Type: Calculated

Column: 855-857

SAS Variable Name: POTADAY\_

Prologue:

Description: Potato times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day	242,370	97.74	96.89
100		1	0.00	0.00
340		1	0.00	0.00
990	Do not Know/Not Sure Or Refused/Missing	5,592	2.26	3.11

---

**Carrot Times per day****Calculated Variables:** 4.05 Calculated Variables

Type: Calculated

Column: 858-860

SAS Variable Name: CRTSDAY\_

Prologue:

Description: Carrot times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Times per day	240,168	96.86	96.13
100		5	0.00	0.00
120		1	0.00	0.00
150		1	0.00	0.00
990	Do not Know/Not Sure Or Refused/Missing	7,789	3.14	3.86

---

**Vegetable Servings per day****Calculated Variables:** 4.06 Calculated Variables**Type:** Calculated**Column:** 861-863**SAS Variable Name:** VEGEDAY\_**Prologue:****Description:** Vegetable servings per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 989	Servings per day	240,979	97.18	96.21
100		35	0.01	0.02
120		7	0.00	0.00
140		2	0.00	0.00
150		1	0.00	0.00
160		1	0.00	0.00
180		1	0.00	0.00
200		2	0.00	0.00
220		1	0.00	0.00
240		1	0.00	0.00
990	Do not Know/Not Sure Or Refused/Missing	6,934	2.80	3.76

---

**Total number of times fruits and vegetables consumed per day****Calculated Variables:** 4.07 Calculated Variables**Type:** Calculated**Column:** 864-868**SAS Variable Name:** \_FRTSERV**Prologue:****Description:** Fruit and vegetable times per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 99998	Number of times per day Notes: (_FRTSERV < 99999) (2 implied decimal places)	245,133	98.86	97.81
99999	Do not know/Refused/Missing Notes: (_FRTSERV = 99999)	2,831	1.14	2.19

---

## Summary index for fruits and vegetables

Calculated Variables: 4.08 Calculated Variables

Type: Calculated

Column: 869

SAS Variable Name: \_FRTINDX

Prologue:

Description: Summary index for fruits and vegetables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than once per day or never Notes: (_FRTSERV < 1)	10,713	4.32	4.70
2	Once but less than 3 times per day Notes: (1 LE _FRTSERV LT 3)	82,942	33.45	34.30
3	3 but less than 5 times per day Notes: (3 LE _FRTSERV LT 5)	91,683	36.97	34.96
4	5 or more times per day Notes: (_FRTSERV GE 5)	59,795	24.11	23.85
9	Do not know/Refused/Missing Notes: (_FRTSERV = 9999)	2,831	1.14	2.19

---

## Risk Factor for Lifetime Asthma Prevalence

Calculated Variables: 5.01 Calculated Variables

Type: Calculated

Column: 870

SAS Variable Name: \_LTASTHM

Prologue:

Description: Risk factor for lifetime asthma prevalence

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not At Risk Notes: ASTHMA2=2	217,934	87.89	87.99
2	At Risk Notes: ASTHMA2=1	29,712	11.98	11.89
9	Do not Know/Not Sure Or Refused/Missing Notes: ASTHMA2=(.,7,9)	318	0.13	0.11

---

## Risk Factor for Current Asthma Prevalence

Calculated Variables: 5.02 Calculated Variables

Type: Calculated

Column: 871

SAS Variable Name: \_CASTHMA

Prologue:

Description: Risk factor for current asthma prevalence

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not At Risk Notes: ASTHMA2=2 OR ASTHMA2=1 AND ASTHNOW=2	227,300	91.67	92.11
2	At Risk Notes: ASTHMA2=1 AND ASTHNOW=1	19,695	7.94	7.53
9	Do not Know/Not Sure Or Refused/Missing Notes: ASTHMA2=(7,9) OR ASTHNOW=(7,9)	969	0.39	0.36

---

**Computed Asthma Status****Calculated Variables:** 5.03 Calculated Variables**Type:** Calculated**Column:** 872**SAS Variable Name:** \_ASTHMST**Prologue:****Description:** Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA2=1 AND ASTHNOW=1	19,695	7.94	7.53
2	Former Notes: ASTHMA2=1 AND ASTHNOW=2	9,366	3.78	4.12
3	Never Notes: ASTHMA2=2	217,934	87.89	87.99
9	Do not Know/Not Sure Or Refused/Missing Notes: ASTHMA2=(7,9) OR ASTHNOW=(7,9)	969	0.39	0.36

---

**Risk Factor for having had permanent teeth extracted****Calculated Variables:** 7.01 Calculated Variables**Type:** Calculated**Column:** 873**SAS Variable Name:** \_EXTEETH**Prologue:****Description:** Risk factor for having had permanent teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: RMVTEETH=8	116,902	47.14	50.75
2	At risk Notes: RMVTEETH=(1,2,3)	124,777	50.32	45.86
9	Do not Know/Not Sure Or Refused/Missing Notes: RMVTEETH=(7,9)	6,285	2.53	3.39

---

**Risk Factor for respondents aged 65 or older that have had all permanent teeth extracted****Calculated Variables:** 7.02 Calculated Variables

Type: Calculated

Column: 874

SAS Variable Name: \_ALTEETH

Prologue:

**Description:** Risk Factor for respondents aged 65 or older that have had all permanent teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: AGE >= 65 AND RMVTEETH= (1,2,8)	36,533	68.90	71.07
2	At risk Notes: AGE >= 65 AND RMVTEETH=3	12,329	23.25	20.35
9	Do not Know/Not Sure Or Refused/Missing Notes: AGE=(7,9) OR RMVTEETH=(7,9)	4,159	7.84	8.58
BLANK	Missing or Age Less Than 65 Notes: AGE<65	194,943		

---

**Risk Factor for having visited a dentist, dental hygienist or dental clinic****Calculated Variables:** 7.03 Calculated Variables

Type: Calculated

Column: 875

SAS Variable Name: \_DENTVST

Prologue:

**Description:** Risk factor for having visited a dentist, dental hygienist or dental clinic within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: LASTDEN2=1 OR DENCLEAN=1	174,223	70.26	69.25
2	At risk Notes: LASTDEN2=8 OR LASTDEN2=(2,3,4) AND DENCLEAN=(.,2,3,4,7,8,9)	69,923	28.20	28.27
9	Do not Know/Not Sure Or Refused/Missing Notes: LASTDEN2=(7,9) AND DENCLEAN=(.,7,9)	3,818	1.54	2.47

---

**Risk factor for respondents aged 65+ that had a flu shot in the past 12 months.****Calculated Variables:** 8.01 Calculated Variables

Type: Calculated

Column: 876

SAS Variable Name: \_FLUSHOT

Prologue:

**Description:** Risk factor for respondents aged 65 or older that have had a flu shot within the past 12 months

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: AGE>=65 AND FLUSHOT=1	34,490	65.05	63.95
2	At risk Notes: AGE>=65 AND FLUSHOT=2	16,445	31.02	32.35
9	Do not Know/Not Sure Or Refused/Missing Notes: AGE=(7,9) OR FLUSHOT=(7,9)	2,086	3.93	3.70
BLANK	Missing or Age Less Than 65 Notes: AGE<65	194,943		

---

**Risk factor for respondents aged 65+ that have ever had a pneumonia shot.****Calculated Variables:** 8.02 Calculated Variables

Type: Calculated

Column: 877

SAS Variable Name: \_PNEUMOC

Prologue:

**Description:** Risk factor for respondents aged 65 or older that have ever had a pneumonia shot

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: AGE>=65 AND PNEUVAC2=1	30,957	58.39	57.99
2	At risk Notes: AGE>=65 AND PNEUVAC2=2	18,769	35.40	35.88
9	Do not Know/Not Sure Or Refused/Missing Notes: AGE=(7,9) OR PNEUVAC2=(7,9)	3,295	6.21	6.13
BLANK	Missing or Age Less Than 65 Notes: AGE<65	194,943		

---

**Computed smoking status (2)****Calculated Variables:** 9.01 Calculated Variables

Type: Calculated

Column: 878

SAS Variable Name: **\_SMOKER2**

Prologue:

**Description:** Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: (SMOKE100 = 1) AND (SMOKEDAY = 1)	42,993	17.34	17.41
2	Current smoker - now smokes some days Notes: (SMOKE100 = 1) AND (SMOKEDAY = 2)	11,335	4.57	5.08
3	Former smoker Notes: (SMOKE100 = 1) AND (SMOKEDAY = 3)	64,178	25.88	24.15
4	Never smoked Notes: (SMOKE100 = 2)	128,756	51.93	53.08
9	Do not know/Refused/Missing Notes: (SMOKE100 = 1) AND ((SMOKEDAY = 9) OR (SMOKE100 = (. OR 7 OR 9))	702	0.28	0.27

---

**At risk for smoking (2) (all current smokers)****Calculated Variables:** 9.02 Calculated Variables

Type: Calculated

Column: 879

SAS Variable Name: **\_RFSMOK2**

Prologue:

**Description:** Current smoking status risk factor: Smoked at least 100 cigarettes in their lifetime and may or may not currently smoke)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk (former or non-smoker) Notes: (_SMOKER2 = (3 OR 4))	192,934	77.81	77.24
2	At risk (current smoker) Notes: (_SMOKER2 = (1 OR 2))	54,328	21.91	22.50
9	Do not know/Refused/Missing Notes: (_SMOKER2 = 9)	702	0.28	0.27

---

**Drink-occasions-per-day****Calculated Variables:** 10.01 Calculated Variables**Type:** Calculated**Column:** 880-882**SAS Variable Name:** DROCCDY\_**Prologue:****Description:** Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day	117,689	47.46	45.00
3		21,868	8.82	9.29
7		16,850	6.80	7.06
10		9,223	3.72	3.87
13		8,655	3.49	3.70
14		11,798	4.76	5.12
17		5,866	2.37	2.52
20		2,753	1.11	1.19
23		1,391	0.56	0.59
27		2,315	0.93	0.99
29		8,301	3.35	3.60
30		167	0.07	0.07
33		4,258	1.72	1.82
37		29	0.01	0.01
40		1,195	0.48	0.50
43		5,539	2.23	2.45
47		326	0.13	0.13
50		3,620	1.46	1.47
53		172	0.07	0.06
57		2,566	1.03	1.17
60		101	0.04	0.03
63		12	0.00	0.00
67		3,578	1.44	1.47
70		90	0.04	0.04
71		2,164	0.87	0.91
73		63	0.03	0.03
80		131	0.05	0.07
83		1,463	0.59	0.56
86		654	0.26	0.33
87		73	0.03	0.04
90		108	0.04	0.04
93		369	0.15	0.14
97		150	0.06	0.06
100		12,990	5.24	5.05
900	Do not Know/Not Sure Or Refused/Missing	1,404	0.57	0.60
77		33	0.01	0.01

---

**Drink any alcoholic beverages in past 30 days****Calculated Variables:** 10.02 Calculated Variables

Type: Calculated

Column: 883

SAS Variable Name: DRNKANY3

Prologue:

**Description:** Risk factor for respondents having had at least one drink of alcohol in the past 30 days.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	128,871	51.97	54.40
2	No	117,689	47.46	45.00
7	Do not know/Not Sure	1,048	0.42	0.50
9	Refused/Missing	356	0.14	0.10

---

**At risk for binge drinking (greater than or equal to 5 drinks or more consumed on one or more occasion)****Calculated Variables:** 10.03 Calculated Variables

Type: Calculated

Column: 884

SAS Variable Name: \_RFBING2

Prologue:

**Description:** Risk factor for binge drinking where binge drinking is defined as having 5 or more drinks on 1 occasion

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk for Binge Drinking Notes: (ALCDAYS<300 AND DRNK2GE5=0) or ALCDAYS=888	213,070	85.93	83.30
2	At risk for Binge Drinking Notes: ((ALCDAYS<300 AND DRNK2GE5>1)	32,111	12.95	15.46
9	Do not know/Refused/Missing Notes: (DRNK2GE5 IN (7,9, '.')) OR ALCDAYS IN (777, 999, '.'))	2,783	1.12	1.25

---

**Number of Drinks of alcohol beverages per day****Calculated Variables:** 10.04 Calculated Variables

Type: Calculated

Column: 885-888

SAS Variable Name: \_DRNKDY2

Prologue:

**Description:** Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAYS = 888	117,689	47.46	45.00
1 - 9899	Number of drinks per day Notes: (= (ALCDAYS/7 per week OR ALCDAYS/30 per month) * AVEDRNK [2 implied decimal places]) (also =_DRNKMO2/30)	127,524	51.43	53.77
9900	Do not know/Not sure/Refused/Missing	2,751	1.11	1.23

---

**Total number drinks a month****Calculated Variables:** 10.05 Calculated Variables

Type: Calculated

Column: 889-892

SAS Variable Name: \_DRNKMO2

Prologue:

**Description:** Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: (drnkany2 = (888))	245,213	98.89	98.77
9999	Do not know/Refused/Missing Notes: (drnkany2 = (777,999,.))	2,751	1.11	1.23

---

**At risk for heavy alcohol consumption (greater than two drinks per day for men and greater than one drink per day for women)****Calculated Variables:** 10.06 Calculated Variables

Type: Calculated

Column: 893

SAS Variable Name: \_RFDRHV2

Prologue:

**Description:** Risk factor for heavy drinking (Note: Heavy drinking is defined as having greater than 2 drinks per day for men, and 1 drink per day for women)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk for heavy drinking Notes: ((SEX = 1) AND ( DRNKDY2 <= 200)) OR ((SEX = 2) AND (_DRNKDY2 <=100)) OR (ALCDAYS = 888)	232,466	93.75	93.18
2	At risk for heavy drinking Notes: ((SEX = 1) AND ( DRNKDY2 > 200)) OR ((SEX = 2) AND (_DRNKDY2>100))	12,747	5.14	5.60
9	Do not know/Refused/Missing Notes: _DRNKDY2 = '.'	2,751	1.11	1.23

---

**At risk for heavy alcohol consumption in men (greater than two drinks per day)****Calculated Variables:** 10.07 Calculated Variables

Type: Calculated

Column: 894

SAS Variable Name: \_RFDRMN2

Prologue:

**Description:** Risk factor for heavy drinking among men (Note: Heavy drinking is defined as having an average of more than 2 drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Men not at risk for heavy drinking	91,378	92.06	91.66
2	Men at risk for heavy drinking	6,411	6.46	6.76
9	Do not know/Refused/Missing	1,473	1.48	1.58
BLANK	Respondent is female	148,702		

---

**At risk for heavy alcohol consumption in women (greater than one drink per day)****Calculated Variables: 10.08 Calculated Variables****Type: Calculated****Column: 895****SAS Variable Name: \_RFDRWM2****Prologue:****Description: Risk factor for heavy drinking among women (Note: Heavy drinking is defined as having an average of more than 1 drink per day)**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Women not at risk for heavy drinking	141,088	94.88	94.59
2	Women at risk for heavy drinking	6,336	4.26	4.51
9	Do not know/Refused/Missing	1,278	0.86	0.90
BLANK	Respondent is male	99,262		

---

**Drinking and driving risk factor.****Calculated Variables: 10.09 Calculated Variables****Type: Calculated****Column: 896****SAS Variable Name: \_RFDRDR2****Prologue:****Description: Risk factor for drinking and driving. (Drank alcohol in the past 30 days and have driven when they've had perhaps too much to drink.)**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk	239,698	96.67	95.80
2	At Risk	4,957	2.00	2.22
9	Do not Know/Not Sure Or Refused/Missing	3,309	1.33	1.98

---

**Always/Nearly Always wear seatbelt risk factor.****Calculated Variables: 11.01 Calculated Variables****Type: Calculated****Column: 897****SAS Variable Name: \_RFSEAT2****Prologue:****Description: Risk factor for always or nearly always seatbelt use**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEATBELT=(1,2,8)	217,911	87.88	88.40
2	At Risk Notes: SEATBELT=(3,4,5)	27,230	10.98	9.39
9	Do not Know/Not Sure Or Refused/Missing Notes: SEATBELT=(7,9)	2,823	1.14	2.20

---

**MRACE with trailing 7,8,9's removed****Calculated Variables: 12.01 Calculated Race Variables****Type: Calculated****Column: 899-904****SAS Variable Name: MRACEORG****Prologue:****Description: MRACE with trailing 7,8,9's removed**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**MRACEORG with responses in ascending order****Calculated Variables: 12.02 Calculated Race Variables****Type: Calculated****Column: 905-910****SAS Variable Name: MRACEASC****Prologue:****Description: MRACE with 7,8,9's removed, in ascending order**

Value	Value Label	Frequency	Percentage	Weighted Percentage
UNUSED	Suppressed	247,964	100.00	100.00

---

**Preferred Race****Calculated Variables: 12.03 Calculated Race Variables****Type: Calculated****Column: 911-912****SAS Variable Name: \_PRACE****Prologue:****Description: Preferred race category**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	204,783	82.59	78.53
2	Black or African American	20,904	8.43	10.66
3	Asian	5,811	2.34	3.05
4	Native Hawaiian or other Pacific Islander	1,684	0.68	0.42
5	American Indian or Alaskan Native	4,417	1.78	1.66
6	Other race	7,726	3.12	4.48
7	No preferred race	306	0.12	0.15
8	Multiracial but preferred race not asked	12	0.00	0.01
77	Do not know/Not sure	586	0.24	0.31
99	Refused	1,735	0.70	0.71

---

**Non-Hispanic Race including Multiracial****Calculated Variables: 12.04 Calculated Race Variables****Type: Calculated****Column: 913-914****SAS Variable Name: \_MRACE****Prologue:****Description: Multiracial race categorization**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only	202,585	81.70	77.76
2	Black or African American only	20,435	8.24	10.38
3	Asian Only	5,439	2.19	2.95
4	Native Hawaiian or other Pacific Islander only	1,209	0.49	0.35
5	American Indian or Alaskan Native only	4,033	1.63	1.49
6	Other race only	7,484	3.02	4.38
7	Multiracial	4,458	1.80	1.66
77	Do not know/Not sure	586	0.24	0.31
99	Refused	1,735	0.70	0.71

---

**Race-Ethnicity grouping****Calculated Variables: 12.05 Calculated Race Variables****Type: Calculated****Column: 915****SAS Variable Name: RACE2****Prologue:****Description: Race/ethnicity categories**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic Notes: (HISPANC2 = 2) AND (_MRACE = 1)	192,557	77.66	69.59
2	Black only, Non-Hispanic Notes: (HISPANC2 = 2) AND (_MRACE = 2)	19,139	7.72	9.67
3	Asian only, Non-Hispanic Notes: (HISPANC2 = 2) AND (_MRACE = 3)	5,241	2.11	2.85
4	Native Hawaiian or other Pacific Islander only, No Notes: (HISPANC2 = 2) AND (_MRACE = 4)	1,072	0.43	0.32
5	American Indian or Alaskan Native only, Non-Hispan Notes: (HISPANC2 = 2) AND (_MRACE = 5)	3,552	1.43	1.08
6	Other race only, Non-Hispanic Notes: (HISPANC2 = 2) AND (_MRACE = 6)	1,784	0.72	0.86
7	Multiracial, Non-Hispanic Notes: (HISPANC2 = 2) AND (_MRACE = 7)	3,909	1.58	1.35
8	Hispanic Notes: (HISPANC2 = 1)	18,152	7.32	13.36
9	Do not know/Not sure/Refused component question Notes: (HISPANC2 IN (7,9) OR (_MRACE IN (77, 99) AND HISPANC2 = 2)	2,558	1.03	0.93

---

**Non-Hispanic Whites/All Others race categories Race/ethnic group codes used in post-stratification.**

**CalculatedVa** 12.06 **Calculated Race Variables**  
**riables:**

**Type: Calculated**

**Column: 916**

**SAS Variable Name: \_RACEG2**

**Prologue:**

**Description: White/Hispanic race group**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White	192,557	77.66	69.59
2	Non-White or Hispanic	52,849	21.31	29.48
9	Do not know/Not sure/Refused Missing component question	2,558	1.03	0.93

---

**5 level race/ethnicity category.**

**CalculatedVa** 12.07 **Calculated Race Variables**  
**riables:**

**Type: Calculated**

**Column: 917**

**SAS Variable Name: \_RACEGR2**

**Prologue:**

**Description: Five-level race/ethnicity category**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic	192,557	77.66	69.59
2	Black only, Non-Hispanic	19,139	7.72	9.67
3	Other race only, Non-Hispanic	11,649	4.70	5.10
4	Multiracial, Non-Hispanic	3,909	1.58	1.35
5	Hispanic	18,152	7.32	13.36
9	Do not know/Not sure/Refused component question	2,558	1.03	0.93

---

**Number of Census Race Categories Chosen**

**CalculatedVa** 12.08 **Calculated Race Variables**  
**riables:**

**Type: Calculated**

**Column: 918**

**SAS Variable Name: \_CNRACE**

**Prologue:**

**Description: Number of census race categories chosen**

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Other/do not know/refused	9,805	3.95	5.41
1	1 category chosen	234,347	94.51	93.19
2	2 category chosen	3,345	1.35	1.29
3	3 category chosen	436	0.18	0.10
4	4 category chosen	19	0.01	0.01
5	5 category chosen	12	0.00	0.01

---

**Number of Census Race Categories Chosen, Collapsed****Calculated Variables:** 12.09 Calculated Race Variables

Type: Calculated

Column: 919

SAS Variable Name: \_CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One category chosen	234,347	98.40	98.52
2	Two or more categories chosen	3,812	1.60	1.48
BLANK	_CNRACE was coded Other/do not know/refused	9,805		

---

**Reported age in five-year age categories.****Calculated Variables:** 12.10 Calculated Variables

Type: Calculated

Column: 920-921

SAS Variable Name: \_AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24 Notes: 18 LE AGE LE 24	18,879	7.61	13.24
2	Age 25 to 29 Notes: 25 LE AGE LE 29	18,029	7.27	8.54
3	Age 30 to 34 Notes: 30 LE AGE LE 34	22,009	8.88	9.91
4	Age 35 to 39 Notes: 35 LE AGE LE 39	23,957	9.66	9.99
5	Age 40 to 44 Notes: 40 LE AGE LE 44	26,522	10.70	10.69
6	Age 45 to 49 Notes: 45 LE AGE LE 49	25,593	10.32	9.57
7	Age 50 to 54 Notes: 50 LE AGE LE 54	23,941	9.66	8.60
8	Age 55 to 59 Notes: 55 LE AGE LE 59	19,828	8.00	6.97
9	Age 60 to 64 Notes: 60 LE AGE LE 64	16,185	6.53	5.42
10	Age 65 to 69 Notes: 65 LE AGE LE 69	14,854	5.99	5.13
11	Age 70 to 74 Notes: 70 LE AGE LE 74	13,597	5.48	4.59
12	Age 75 to 79 Notes: 75 LE AGE LE 79	11,137	4.49	3.52
13	Age 80 or older Notes: 80 LE AGE LE 99	11,494	4.64	3.23
14	Do not know/Refused/Missing Notes: 7 LE AGE LE 9	1,939	0.78	0.59

---

## Reported age in two age groups

Calculated Variables: 12.11 Calculated Variables

Type: Calculated

Column: 922

SAS Variable Name: \_AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 LE AGE LE 64	194,943	78.62	82.93
2	Age 65 or older Notes: 65 LE AGE LE 99	51,082	20.60	16.47
3	Do not know/Refused/Missing Notes: 7 LE AGE LE 9	1,939	0.78	0.59

---

## Height in Inches

Calculated Variables: 12.12 Calculated Variables

Type: Calculated

Column: 923-924

SAS Variable Name: HTIN

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 98	Height in inches Notes: (INPUT((substr(HEIGHT1,2,2)),2.)) + (INPUT((substr(HEIGHT1,1,1)),1.)) * 12)	244,927	98.78	98.26
99	Do not know/Refused/Missing Notes: HEIGHT = (777 or 999)	3,037	1.22	1.74

---

## Height in Meters

Calculated Variables: 12.13 Calculated Variables

Type: Calculated

Column: 925-927

SAS Variable Name: HTM

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in meters [2 implied decimal places] Notes: (HTIN*2.54)/100	244,927	98.78	98.26
999	Do not know/Refused/Missing Notes: HIEGHT = (777 or 999)	3,037	1.22	1.74

---

## Weight in Kilograms

Calculated Variables: 12.14 Calculated Variables

Type: Calculated

Column: 928-932

SAS Variable Name: WTKG

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 99998	Weight in kilograms [2 implied decimal places] Notes: WEIGHT/2.2	238,157	96.04	96.55
99999	Do not know/Refused/Missing Notes: WEIGHT = (777 or 999)	9,807	3.96	3.45

---

## Body mass index

Calculated Variables: 12.15 Calculated Variables

Type: Calculated

Column: 933-936

SAS Variable Name: \_BMI2

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9998	1 or greater Notes: WTKG/(HTM*HTM) [2 implied decimal places]	236,287	95.29	95.34
9999	Do not know/Refused/Missing Notes: WTKG = (777 OR 999) OR HTM = (777 OR 999)	11,677	4.71	4.66

---

## \_BMI2 Categorized

Calculated Variables: 12.16 Calculated Variables

Type: Calculated

Column: 937

SAS Variable Name: \_BMI2CAT

Prologue:

Description: Three-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Neither overweight nor obese ( BMI2 < 2500) Notes: Notes: _BMI2 has 2 implied decimal places	98,515	39.73	39.29
2	Overweight (2500 <= _BMI2 < 3000)	85,870	34.63	35.15
3	Obese (3000 <= _BMI2 < 9999)	51,902	20.93	20.90
9	Do not know/Refused/Missing (_BMI2 = 9999)	11,677	4.71	4.66

---

**Risk Factor for being overweight or obese****Calculated Variables:** 12.17 Calculated Variables

Type: Calculated

Column: 938

SAS Variable Name: \_RFBMI2

Prologue:

Description: Risk factor for overweight or obese

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not At Risk For Overweight Or Obese ( BMI2 < 2500) Notes: Notes: _BMI2 has two implied decimal places	98,515	39.73	39.29
2	At Risk For Overweight Or Obese (2500 <= _BMI2 < 9999)	137,772	55.56	56.05
9	Do not know/Refused/Missing (_BMI2 = 9999)	11,677	4.71	4.66

---

**Use of birth control categories.****Calculated Variables:** 13.01 Calculated Variables

Type: Calculated

Column: 939

SAS Variable Name: BRCNTRL\_

Prologue:

Description: Use of birth control categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Use Birth Control	9,588	27.32	23.83
2	No Birth Control	12,040	34.31	37.11
3	Want Pregnancy	4,479	12.76	14.17
4	Not Active/No Partner/Same Sex Partner	3,873	11.04	11.37
9	Do not Know/Not Sure/Refused	5,109	14.56	13.52
BLANK	Pregnant Now/Missing	212,875		

---

**Male birth control method categories.****Calculated Variables:** 13.02 Calculated Variables

Type: Calculated

Column: 940

SAS Variable Name: BCMETML\_

Prologue:

Description: Male birth control method categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Surgical	14,623	19.70	18.75
2	Contraception	19,975	26.91	30.59
3	Not Active/No Partner	486	0.65	0.72
9	Do not Know/Not Sure/Refused	39,157	52.74	49.94
BLANK	Partner Pregnant Now/Missing	173,723		

---

**Female birth control method categories.****Calculated Variables: 13.03 Calculated Variables****Type: Calculated****Column: 941****SAS Variable Name: BCMETFM\_****Prologue:****Description: Female birth control method categories**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Surgical	13,722	22.32	19.95
2	Contraception	22,144	36.01	38.73
3	Not Active/No Partner	674	1.10	1.21
9	Do not Know/Not Sure/Refused	24,952	40.58	40.11
BLANK	Pregnant Now/Missing	186,472		

---

**Females use of contraceptives to prevent unintended pregnancy risk factor.****Calculated Variables: 13.04 Calculated Variables****Type: Calculated****Column: 942****SAS Variable Name: \_FCNTRAC****Prologue:****Description: Risk factor for the use of contraceptives among females to prevent unintended pregnancy**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX=2 AND 18 <= AGE <= 44 AND PREGNANT>=1 AND BRTHCNT2=1 AND BCMETHD_=(1,2)	35,858	57.14	57.99
2	At Risk Notes: SEX=2 AND 18 <= AGE <= 44 AND PREGNANT>=1 AND IF BRTHCNT2=2 AND BRCNTRL_=2	3,967	6.32	6.58
9	Do not Know/Not Sure/Refused Notes: BRTHCNT2=(7,9) OR BRCNTRL =9 OR BCMETHD =9 OR AGE=(7,9) OR SEX=(7,9) OR PREGNANT=(7,9)	22,925	36.53	35.43
BLANK	Pregnant Now/Missing Notes: BRTHCNT2=. OR BCMETHD =. OR SEX=2 AND AGE GT 44 OR SEX=2 AND 18 <= AGE <= 44 AND PREGNANT=1 OR SEX=1 OR SEX=. OR AGE=.	185,214		

---

**Males use of contraceptives to prevent unintended pregnancy risk factor.****Calculated Variables: 13.05 Calculated Variables****Type: Calculated****Column: 943****SAS Variable Name: \_MCNTRAC****Prologue:****Description: Risk factor for the use of contraceptives among males to prevent unintended pregnancy**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX=1 AND 18 <= AGE <= 59 AND BRTHCNT2=1 AND BCMETHD_=(1,2)	34,593	45.70	48.94
2	At Risk Notes: SEX=1 AND (18 <= AGE <= 59)) AND IF BRTHCNT2=2 AND BRCNTRL_=2 THEN _CONTRAC=2;	8,067	10.66	10.56
9	Do not Know/Not Sure/Refused Notes: BRTHCNT2=(7,9) OR BRCNTRL =9 OR BCMETHD =9 OR AGE=(7,9) OR SEX=(7,9)	33,031	43.64	40.50
BLANK	Partner Pregnant Now/Missing Notes: BRTHCNT2=. OR BCMETHD =. OR SEX=2 OR SEX=1 AND AGE>59 OR SEX=. OR AGE=.	172,273		

---

**Women aged 40 and older that have not had a mammogram within the past two years.****Calculated Variables: 14.01 Calculated Variables****Type: Calculated****Column: 944****SAS Variable Name: \_RFMAM2Y****Prologue:****Description: Female respondents aged 40 and older that have not had a mammogram within the past two years**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX=2 AND AGE >= 40 AND HADMAM=1 AND HOWLONG=(1 OR 2)	72,713	73.59	74.57
2	At Risk Notes: (SEX=2 AND AGE >= 40 AND HADMAM=1 AND HOWLONG=(3 OR 4 OR 5)) OR (SEX=2 AND AGE >= 40 AND HADMAM=2)	23,632	23.92	23.11
9	Do not Know/Not Sure/Refused Notes: (SEX=2 AND AGE >= 40 AND HADMAM=1 AND HOWLONG=(7 OR 9)) OR (SEX=2 AND AGE >= 40 AND HADMAM=7 OR 9) OR (AGE=. OR 7 OR 9)	2,464	2.49	2.31
BLANK	Missing or Age less than 40 or Male Notes: (SEX=2 AND AGE >= 40 AND HADMAM=1 AND HOWLONG=.) OR (SEX=2 AND AGE >= 40 AND HADMAM=.) OR (AGE < 40) OR SEX=1	149,155		

---

**Women aged 18 and older that have not had a mammogram within the past three years.****Calculated Variables: 14.02 Calculated Variables****Type: Calculated****Column: 945****SAS Variable Name: \_RFPAP3Y****Prologue:****Description: Female respondents aged 18 and older, with intact cervix, that have not had a pap smear within the past three years**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX=2 AND AGE >= 18 AND HADPAP=1 AND LASTPAP=1 OR 2 OR 3	93,383	84.38	84.16
2	At Risk Notes: (SEX=2 AND AGE >= 18 AND HADPAP=1 AND LASTPAP=4 OR 5) OR (SEX=2 AND AGE >= 40 AND HADPAP=2)	14,312	12.93	13.32
9	Do not Know/Not Sure/Refused Notes: (SEX=2 AND AGE >= 18 AND HADPAP=1 AND LASTPAP=7 OR 9) OR (SEX=2 AND AGE >= 40 AND HADPAP=7 OR 9) OR (SEX=2 AND AGE=. OR 7 OR 9)	2,973	2.69	2.52
BLANK	Missing or Male Notes: (SEX=2 AND AGE >= 18 AND HADPAP=1 AND LASTPAP=.) OR (SEX=2 AND AGE >= 40 AND HADPAP=.) OR (SEX=1)	137,296		

---

**Men aged 40 and older that have not had a PSA test within the past two years.****Calculated Variables: 15.01 Calculated Variables****Type: Calculated****Column: 946****SAS Variable Name: \_RFPSA2Y****Prologue:****Description: Male respondents aged 40 and older that have not had a Prostate-Specific Antigen test within the past two years**

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: SEX=1 AND AGE >= 40 AND PSATEST=1 AND PSATIME=1 OR 2	32,921	50.84	50.08
2	At Risk Notes: (SEX=1 AND AGE >= 40 AND PSATEST=1 AND PSATIME=3 OR 4 OR 5) OR (SEX=2 AND AGE >= 40 AND PSATEST=2)	27,643	42.69	43.58
9	Do not Know/Not Sure/Refused Notes: (SEX=1 AND AGE >= 40 AND PSATEST=1 AND PSATIME=7 OR 9) OR (SEX=2 AND AGE >= 40 AND PSATEST=7 OR 9) OR (AGE=. OR 7 OR 9)	4,190	6.47	6.34
BLANK	Missing or Age less than 40 or Female Notes: (SEX=1 AND AGE >= 40 AND PSATEST=1 AND PSATIME=.) OR (SEX=2 AND AGE >= 40 AND PSATEST=.) OR (AGE < 40) OR (SEX=2)	183,210		

---

**Respondents aged 50 and older that have not had a blood stool test within the past two years.**

**Calculated Variables:** 16.01 Calculated Variables

**Type:** Calculated

**Column:** 947

**SAS Variable Name:** \_RFBLDST

**Prologue:**

**Description:** Respondents aged 50 and older that have not had a blood stool test within the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: AGE >= 50 AND BLDSTOOL=1 AND LSTBLDS2=1 OR 2	32,739	29.11	29.11
2	At Risk Notes: (AGE >= 50 AND BLDSTOOL=1 AND LSTBLDS2=3 OR 4) OR (AGE >= 50 AND BLDSTOOL=2)	75,386	67.02	67.04
9	Do not Know/Not Sure/Refused Notes: (AGE >= 50 AND BLDSTOOL=1 AND LSTBLDS2=7 OR 9) OR (AGE >= 50 AND BLDSTOOL=7 OR 9) OR (AGE=. OR 7 OR 9)	4,352	3.87	3.85
BLANK	Missing or Age less than 50 Notes: (AGE >= 50 AND BLDSTOOL=1 AND LSTBLDS2=.) OR (AGE >= 50 AND BLDSTOOL=.) OR (AGE< 50)	135,487		

---

**Respondents aged 50 and older that have never had a sigmoidoscopy or colonoscopy.**

**Calculated Variables:** 16.02 Calculated Variables

**Type:** Calculated

**Column:** 948

**SAS Variable Name:** \_RFSIGMD

**Prologue:**

**Description:** Respondents aged 50 and older that have not had a sigmoidoscopy or colonoscopy

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: AGE >= 50 AND HADSIGM2=1	52,336	46.55	47.40
2	At Risk Notes: AGE >= 50 AND HADSIGM2=2	56,374	50.15	49.33
9	Do not Know/Not Sure/Refused Notes: (AGE >= 50 AND HADSIGM2=7 OR 9) OR (AGE=. OR 7 OR 9)	3,708	3.30	3.27
BLANK	Missing or Age less than 50 Notes: (AGE >= 50 AND HADSIGM2=.) OR (AGE< 50)	135,546		

---

**Ever been tested for HIV risk factor.**

**Calculated Variables:** 17.01 Calculated Variables

**Type:** Calculated

**Column:** 949

**SAS Variable Name:** \_AIDSTST

**Prologue:**

**Description:** Respondents less than 65 years old that have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: 18 <= AGE <= 64 AND HIVTST3=1	80,994	41.50	43.19
2	At Risk Notes: 18 <= AGE <= 64 AND HIVTST3=2	104,858	53.73	52.45
9	Do not Know/Not Sure/Refused Notes: (AGE=. OR 7 OR 9) OR (18 <= AGE <= 64 AND HIVTST3=7 OR 9)	9,304	4.77	4.36
BLANK	Missing or Age greater than 64 Notes: AGE > 64 OR HIVTST3=.	52,808		

---

**Ever participated in high-risk behavior risk factor.**

**Calculated Variables:** 17.02 Calculated Variables

**Type:** Calculated

**Column:** 950

**SAS Variable Name:** \_HIGHRSK

**Prologue:**

**Description:** Respondents less than 65 years old that have ever participated in high-risk behavior

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: 18 <= AGE <= 64 AND HIVRISK2 = 2	181,294	94.04	90.84
2	At Risk Notes: 18 <= AGE <= 64 AND HIVRISK2 = 1	5,652	2.93	3.67
9	Do not Know/Not Sure/Refused Notes: (AGE=7 OR 9) OR (18 <= AGE <= 64 AND HIVRISK2 = 7 OR 9)	5,844	3.03	5.49
BLANK	Missing or Age greater than 64 Notes: (AGE > 64) OR (18 <= AGE <= 64 AND HIVRISK2 = .)	55,174		

---

**Risk factor for having been counseled by a doctor, nurse, or other health professional within the past 12 months on prevention of sexually transmitted diseases through condom use.**

**Calculated Variables:** 17.03 Calculated Variables

**Type:** Calculated

**Column:** 951

**SAS Variable Name:** \_STDCNDM

**Prologue:**

**Description:** Risk factor for respondents less than 65 years old that have ever been counseled by a doctor, nurse, or other health professional within the past 12 months on prevention of sexually transmitted diseases through condom use

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: 18 <= AGE <= 64 AND PCSAIDS2=1	21,027	10.79	13.61
2	At Risk Notes: 18 <= AGE <= 64 AND PCSAIDS2=2	168,634	86.57	83.78
9	Do not Know/Not Sure/Refused Notes: (18 <= AGE <= 64 AND PCSAIDS2=7 OR 9) OR (AGE=. OR 7 OR 9)	5,135	2.64	2.61
BLANK	Missing or Age greater than 64 Notes: (18 <= AGE <= 64 AND PCSAIDS2=.) OR (AGE>64)	53,168		

---

**Risk factor for living in home with loaded firearm.**

**Calculated Variables:** 18.01 Calculated Variables

**Type:** Calculated

**Column:** 952

**SAS Variable Name:** \_RFFRARM

**Prologue:**

**Description:** Risk factor for living in home with loaded firearm

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: (FIREARM4=1 AND GUNLOAD=2) OR (FIREARM4=2)	211,547	88.09	88.28
2	At Risk Notes: FIREARM4=1 AND GUNLOAD=1	17,669	7.36	7.28
9	Do not Know/Not Sure/Refused Notes: (FIREARM4=1 AND GUNLOAD=7 OR 9) OR (FIREARM4=7 OR 9)	10,945	4.56	4.44
BLANK	Missing Notes: (FIREARM4=1 AND GUNLOAD=.) OR (FIREARM4=.)	7,803		

---

**Risk factor for living in home with loaded & unlocked firearm.**

**Calculated Variables:** 18.02 Calculated Variables

**Type:** Calculated

**Column:** 953

**SAS Variable Name:** \_RFFRAR2

**Prologue:**

**Description:** Risk factor for living in home with loaded and unlocked firearm

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at Risk Notes: (FIREARM4=1 AND GUNLOAD=1 AND LOADULK2=2) OR (FIREARM4=2)	218,117	90.82	91.15
2	At Risk Notes: FIREARM4=1 AND GUNLOAD=1 AND LOADULK2=1	10,928	4.55	4.34
9	Do not Know/Not Sure/Refused Notes: (FIREARM4=1 AND GUNLOAD=1 AND LOADULK2=7 OR 9) OR (FIREARM4=1 AND GUNLOAD=7 OR 9) OR (FIREARM4=7 OR 9)	11,113	4.63	4.51
BLANK	Missing Notes: (FIREARM4=1 AND GUNLOAD=1 AND LOADULK2=.) OR (FIREARM4=1 AND GUNLOAD=.) OR (FIREARM4=.)	7,806		